

CITY OF TACOMA

Public Works Engineering

ADDENDUM NO. 2 DATE: 2/26/2024

REVISIONS TO:

Request for Bids Specification No. PW23-0036F East 64th Phase II

NOTICE TO ALL BIDDERS:

This addendum is issued to clarify, revise, add to or delete from, the original specification documents for the above project. This addendum, as integrated with the original specification documents, shall form the specification documents. The noted revisions shall take precedence over previously issued specification documents and shall become part of this contract.

REVISIONS TO THE SUBMITTAL DEADLINE:

The submittal deadline remains unchanged.

REVISIONS TO THE PROPOSAL:

Change #1

The Proposal is replaced with the attached Proposal labeled Addendum #2.

NOTE: Acknowledge receipt of this addendum by initialing the corresponding space as indicated on the signature page. Vendors who have already submitted their bid/proposal may contact the Purchasing Division at 253-502-8468 and request return of their bid/proposal for acknowledgment and re-submittal. Or, a letter acknowledging receipt of this addendum may be submitted in an envelope marked Request for Bids Specification No. PW23-0036F Addendum No. 2. The City reserves the right to reject any and all bids, including, in certain circumstances, for failure to appropriately acknowledge this addendum.

cc: Chris Storey, Public Works Engineering

BID PROPOSAL

SPECIFICATION NO. PW23-0036F

East 64th Phase II – McKinley to Portland **Addendum #2**

The undersigned hereby certifies that he/she has examined the location and construction details of work as outlined on the Plans and Specifications for Project No. PWK-G0042 and has read and thoroughly understands the Plans and Specifications and contract governing the work embraced in this improvement and the method by which payment will be made for said work, and hereby proposes to undertake and complete the work embraced in this improvement in accordance with said Plans, Specifications and contract and at the following schedule of rates and prices:

NOTE: 1. Unit prices of all items, all extensions and total amount of bid should be shown. Show unit prices in figures only.

- 2. The notations below the item numbers refer to the specification section where information may be found regarding each contract item. These notations are intended only as a guide and are not warranted to refer to all specification sections where information may be found.
- 3. Washington State Department of Revenue Rules 170 and 171 shall apply as shown in the Proposal and per Section 1-07.2 of the WSDOT State Amendments to the Standard Specifications.

All bid items are sorted in the following groups

Schedule A: Roadway, Bid Items R1 – R125

Schedule B: Waste Water, WW1-WW21

Schedule C: Water Main Replacement, W1 – W51

Schedule A: Roadway Improvements (Rule 171) **ITEM ESTIMATED** UNIT TOTAL **PRICE** NO. ITEM DESCRIPTION **QUANTITY** <u>AMOUNT</u> R1. Minor Change 1 \$75000 1-04.4 Force Account Estimated R2. 1 Roadway Surveying 1-05 Lump Sum Lump Sum R3. **Project Redline Drawings** 1 1-05 Lump Sum Lump Sum R4. SPCC Plan 1 1-07 Lump Sum Lump Sum R5. Mobilization 1 1-09 Lump Sum Lump Sum Uniformed Police Officer for 60 R6. 1-10 Traffic Control Lump Sum Lump Sum R7. Pedestrian Traffic Control 1 1-10 Lump Sum Lump Sum **Project Temporary Traffic** R8. 1 1-10 Control Hours **Certified Arborist** R9. 1 2-01 Lump Sum Lump Sum R10. Certified Arborist Assesment 1 \$5000 2-01 Report Compliance Force Account Estimated R11. Clearing and Grubbing 2-01 Lump Sum Lump Sum R12. Test Hole 200 2-02 Lin. Ft. R13. Removal of Structures and 1 2-02 Obstructions Lump Sum Lump Sum R14. Roadway Excavation Incl. 6339 2-03 Haul Cu. Yd. 240 R15. **Embankment Compaction** 2-03 Cu. Yd.

ESTIMATED

UNIT

TOTAL

ITEM

| <u>NO.</u> | ITEM DESCRIPTION | QUANTITY | <u>PRICE</u> | <u>AMOUNT</u> |
|--------------------|--|-----------------------|----------------------|------------------------|
| R16. 2-06 | Subgrade Maintenance and Protection | 1 Lump Sum | Lump Sum | \$ |
| R17. 2-06 | Subgrade Protection Plan | 1 Lump Sum | Lump Sum | \$ |
| R18. 2-09 | Structure Excavation Class A Incl. Haul | 470 Cu. Yd. | \$ | \$ |
| R19. 2-09 | Shoring or Extra Excavation Class A | 1 Lump Sum | Lump Sum | \$ |
| R20. | Structure Excavation Class B | 809 Cu. Yd. | \$ | \$ |
| R21. | Shoring or Extra Excavation Class B | 5202 Sq. Ft. | \$ | \$ |
| R22. 2-12 | Construction Geotextile for Soil Stabilization | 10250 Sq. Yd. | \$ | \$ |
| R23. | Remove Existing Pavement, Type I, Class A2 | 315 Sq. Yd. | \$ | \$ |
| R24. | Remove Existing Pavement, Type I, Class A4 | 13020 Sq. Yd. | \$ | \$ |
| R25. | Remove Existing Pavement, Type I, Class C6 | 3025 Sq. Yd. | \$ | \$ |
| R26. | Remove Existing Stairs | 230 Lin. Ft. | \$ | \$ |
| R27. 2-15 | Remove Curb | 1675 Lin. Ft. | \$ | \$ |
| R28. 2-16 | Remove Catch Basin | 14 Each | \$ | \$ |
| R29. 2-16 | Remove Manhole | 2 Each | \$ | \$ |
| R30. 4-04 | Crushed Surfacing Top Course | 335 Tons | \$ | \$ |
| R31. | Crushed Surfacing Base Course | 4410 Tons | \$ | \$ |
| ITEM <u>NO.</u> | ITEM DESCRIPTION | ESTIMATED QUANTITY | UNIT <u>PRICE</u> | TOTAL <u>AMOUNT</u> |

| R32. 4-06 | Asphalt Treated Base | 2040 Tons | \$ | \$ |
|-------------------------|--|--------------------|----------------------|------------------------|
| R33. ₅₋₀₄ | Planing Bituminous Pavement | 825 Sq. Yd. | \$ | \$ |
| R34. 5-04 | HMA CL 3/8" PG 58H-22 | 325 Tons | \$ | \$ |
| R35. ₅₋₀₄ | HMA for Approach CL 1/2" PG 58H-22 | 220 Sq. Yd. | \$ | \$ |
| R36. ₅₋₀₄ | Fiber Reinforced HMA CL 1/2" PG 58H-22 | 2800 Tons | \$ | \$ |
| R37. ₅₋₀₄ | Temporary Pavement Patch | 300 Tons | \$ | \$ |
| R38. ₇₋₀₅ | Adjust Existing Manhole, Furnish New Frame and Cover | 10 Each | \$ | \$ |
| R39. ₇₋₀₅ | Adjust Existing Valve Chamber to Grade | 23 Each | \$ | \$ |
| R40. ₇₋₀₅ | Adjust to Grade | 5 Each | \$ | \$ |
| R41. 7-05 | Catch Basin Type 1 | 22 Each | \$ | \$ |
| R42. 7-05 | Catch Basin Type 2, 48 In. Diam. | 2 Each | \$ | \$ |
| R43. | Manhole 48 In. Diam. Type 1 | 1 Each | \$ | \$ |
| R44. ₇₋₀₅ | Manhole 60 In. Diam. Type 1 | 2 Each | \$ | \$ |
| R45. 7-05 | Manhole Additional Height 60 In. Diam. Type 1 | 3 Lin. Ft. | \$ | \$ |
| R46. 7-05 | Reconnect Existing Sewer Pipe, 4-In. Diam., to New Structure | 1 Each | \$ | \$ |
| ITEM <u>NO.</u> | ITEM DESCRIPTION | ESTIMATED QUANTITY | UNIT <u>PRICE</u> | TOTAL <u>AMOUNT</u> |

| R47. 7-05 | Reconnect Existing Sewer Pipe, 8-In. Diam., to New Structure | 2 Each | \$ | \$ |
|---|---|---|----------------|----------------|
| R48. ₇₋₀₅ | Reconnect Existing Sewer Pipe, 12-In. Diam., to New Structure | 1 Each | \$ | \$ |
| R49. ₇₋₀₅ | Reconnect Existing Sewer Pipe, 18-In. Diam., to New Structure | 2 Each | \$ | \$ |
| R50. ₇₋₀₅ | Reconnect Existing Sewer Pipe, 21-In. Diam., to New Structure | 2 Each | \$ | \$ |
| R51. 7-05 | Connect New Sewer Pipe, 12-In Diam., to Existing Structure | 8 Each | \$ | \$ |
| R52. 7-08 | CDF for Pipe Abandonment | 3 Cu. Yd. | \$ | \$ |
| R53. ₇₋₀₈ | Temporary Storm Sewer Bypass | 1 Lump Sum | Lump Sum | \$ |
| DC4 | | | | |
| R54. 7-08 | Temporary Storm Sewer Bypass plan | 1 Lump Sum | Lump Sum | \$ |
| | | 1 Lump Sum 563 Cu. Yd. | Lump Sum | \$ \$ |
| 7-08 R55. | Bypass plan Removal and Replacement | 563 | - | \$ \$ |
| 7-08 R55. 7-17 R56. | Bypass plan Removal and Replacement of Unsuitable Material Ductile Iron Sewer Pipe 12 | 563 Cu. Yd. 365 | \$ | \$ \$ \$ |
| 7-08 R55. 7-17 R56. 7-17 R57. | Bypass plan Removal and Replacement of Unsuitable Material Ductile Iron Sewer Pipe 12 In. Diam. Ductile Iron Sewer Pipe 4 In. | 563 Cu. Yd. 365 Lin. Ft. | \$ \$ | · ——— |
| 7-08 R55. 7-17 R56. 7-17 R57. 7-17 R58. | Bypass plan Removal and Replacement of Unsuitable Material Ductile Iron Sewer Pipe 12 In. Diam. Ductile Iron Sewer Pipe 4 In. Diam. Ductile Iron Sewer Pipe 6 In. | 563 Cu. Yd. 365 Lin. Ft. 10 Lin. Ft. | \$ \$ \$ | \$ |

| ITEM <u>NO.</u> | ITEM DESCRIPTION | ESTIMATED QUANTITY | UNIT <u>PRICE</u> | TOTAL <u>AMOUNT</u> |
|----------------------|---|--------------------|----------------------|------------------------|
| R61. | Residential Storm Drain Under Sidewalk | 1970 Lin. Ft. | \$ | \$ |
| R62. | Trench Drain, 6 In. Wide | 94 Lin. Ft. | \$ | \$ |
| R63. 8-01 | Erosion/Water Pollution Control | 1 Lump Sum | Lump Sum | \$ |
| R64 . 8-01 | Stormwater Pollution Prevention Plan (SWPPP) | 1 Lump Sum | Lump Sum | \$ |
| R65. 8-01 | NPDES Construction Stormwater General Permit | 1 Lump Sum | Lump Sum | \$ |
| R66. 8-02 | Seeded Lawn Installation | 211 Sq. Ft. | \$ | \$ |
| R67. 8-02 | PSIPE Juniperus Virginiana/Eastern Red Cedar, 6'-7' Ht. | 8 Each | \$ | \$ |
| R68. 8-02 | PSIPE Tsuga Mertensiana/Mountain Hemlock, 6'-7' Ht. | 12 Each | \$ | \$ |
| R69. 8-02 | PSIPE Zelkova Serrata 'Wireless'/Zelkova (Dwarf), 2" Cal. | 12 Each | \$ | \$ |
| R70. 8-02 | PSIPE Parraotia Persica/Persian Ironwood, 2" Cal. | 16 Each | \$ | \$ |
| R71. 8-02 | PSIPE Prunus Virginiana/Canada Red Chokecherry, 2" Cal. | 6 Each | \$ | \$ |
| R72. 8-02 | PSIPE Pinus Parviflora/Japanese White Pine, 6'-7' Ht. | 10 Each | \$ | \$ |
| R73. 8-02 | PSIPE Ulmus Americana/American Elm, 2" Cal. | 2 Each | \$ | \$ |
| ITEM <u>NO.</u> | ITEM DESCRIPTION | ESTIMATED QUANTITY | UNIT <u>PRICE</u> | TOTAL <u>AMOUNT</u> |

| R74. 8-02 | PSIPE Cedrus Deodora/Deodore Cedar, 6'- 7' ht. | 4 Each | \$ | \$ |
|--------------|--|------------------|----------|----|
| R75. 8-02 | PSIPE Festuca Glauca 'Elijah Blue'/Elijah Blue Fescue, 1 Gal. | 3864 Each | \$ | \$ |
| R76. 8-02 | PSIPE Bouteloua Gracilis 'Blonde Ambition'/Blonde Ambition Blue Grama Grass, 1 Gal. | 750 Each | \$ | \$ |
| R77. 8-02 | PSIPE Pennisetum Alopecuroide/Dwarf Fountain Grass, 1 Gal. | 750 Each | \$ | \$ |
| R78. 8-02 | PSIPE Helictotrichon Sempervirens 'Saphirsprudel'/Sapphire Fountain Blue Oat Grass, 1 Gal. | 750 Each | \$ | \$ |
| R79. 8-02 | PSIPE Santolina Chamaecyparissus/Lavender Cotton, 1 Gal. | 677 Each | \$ | \$ |
| R80. 8-02 | Topsoil Type A | 425 Cu. Yd. | \$ | \$ |
| R81. 8-02 | Bark or Wood Chip Mulch | 275 Cu. Yd. | \$ | \$ |
| R82. 8-02 | Root Barrier | 1900 Lin. Ft. | \$ | \$ |
| R83. 8-02 | Site Restoration | 1 Lump Sum | Lump Sum | \$ |
| R84. 8-04 | Cement Conc. Traffic Curb and Gutter | 6870 Lin. Ft. | \$ | \$ |
| R85. 8-04 | Cement Conc. Pedestrian Curb | 1590 Lin. Ft. | \$ | \$ |

| ITEM NO. | ITEM DESCRIPTION | ESTIMATED QUANTITY | UNIT <u>PRICE</u> | TOTAL <u>AMOUNT</u> |
|--------------|---|-----------------------|----------------------|------------------------|
| R86. 8-04 | Cement Conc. Valley Gutter | 970 Lin. Ft. | \$ | \$ |
| R87. 8-06 | Cement Conc. Driveway Entrance | 2078 Sq. Yd. | \$ | \$ |
| R88. 8-09 | Raised Pavement Marker Type 2 | 2 Hundred | \$ | \$ |
| R89. 8-12 | Cedar Fence, 4 Foot Height | 492 Lin. Ft. | \$ | \$ |
| R90. 8-12 | Cedar Fence, 6 Foot Height | 714 Lin. Ft. | \$ | \$ |
| R91. 8-12 | Chain Link Fence, Type 1 | 130 Lin. Ft. | \$ | \$ |
| R92. 8-12 | Chain Link Fence, Type 6 | 1812 Lin. Ft. | \$ | \$ |
| R93. 8-12 | Chain Link Fence, 7 Foot Height | 150 Lin. Ft. | \$ | \$ |
| R94. 8-12 | Privacy Slats, White | 150 Lin. Ft. | \$ | \$ |
| R95. 8-12 | Temporary Security Fence | 12 Each | \$ | \$ |
| R96. 8-13 | Poured Monument | 3 Each | \$ | \$ |
| R97. 8-14 | Cement Conc. Sidewalk | 3684 Sq. Yd. | \$ | \$ |
| R98. 8-14 | Decorative Colored Stamped Cement Conc. Sidewalk | 661 Sq. Yd. | \$ | \$ |
| R99. 8-14 | Cement Conc. Curb Ramp | 44 Each | \$ | \$ |

| ITEM <u>NO.</u> | ITEM DESCRIPTION | ESTIMATED QUANTITY | UNIT <u>PRICE</u> | TOTAL <u>AMOUNT</u> |
|--------------------|---|--------------------|----------------------|------------------------|
| R100. 8-14 | Detectable Warning Surface, Green | 440 Sq. Ft. | \$ | \$ |
| R101. 8-14 | Detectable Directional Tile | 5441 Lin. Ft. | \$ | \$ |
| R102. 8-14 | House Number Stamp | 51 Each | \$ | \$ |
| R103. 8-18 | Mailbox Support | 45 Lump Sum | Lump Sum | \$ |
| R104. 8-20 | Traffic Signal System, E 64th St & Portland Ave E, Complete | 1 Lump Sum | Lump Sum | \$ |
| R105. 8-20 | Illumination System | 1 Lump Sum | Lump Sum | \$ |
| R106. 8-20 | Pedestrian-Activated Crosswalk Beacon, E 64th St & E 'L' St | 1 Lump Sum | Lump Sum | \$ |
| R107. 8-20 | School Zone Beacon, Complete | 1 Lump Sum | Lump Sum | \$ |
| R108. 8-20 | Interconnect System, Complete | 1 Lump Sum | Lump Sum | \$ |
| R109. 8-21 | Permanent Signing | 1 Lump Sum | Lump Sum | \$ |
| R110. 8-22 | Plastic Line | 7380 Lin. Ft. | \$ | \$ |
| R111. 8-22 | Plastic Wide Lane Line | 325 Lin. Ft. | \$ | \$ |
| R112. 8-22 | Plastic Stop Line | 118 Lin. Ft. | \$ | \$ |
| R113. 8-22 | Plastic Traffic Letter | 28 Each | \$ | \$ |
| R114. 8-22 | Plastic Traffic Arrow | 4 Each | \$ | \$ |

| ITEM NO. | ITEM DESCRIPTION | ESTIMATED QUANTITY | UNIT PRICE | TOTAL AMOUNT |
|---------------|---|-----------------------|---------------|-----------------|
| R115. 8-22 | Plastic Crosswalk Line | 820 Lin. Ft. | \$ | \$ |
| R116. 8-22 | Plastic Bicycle Lane Symbol | 38 Each | \$ | \$ |
| R117. 8-22 | Plastic Bicycle Detection Symbol | 2 Each | \$ | \$ |
| R118. 8-22 | Green Durable Product | 820 Sq. Ft. | \$ | \$ |
| R119. 8-24 | Boulder, 3-Man | 30 Each | \$ | \$ |
| R120. 8-24 | Boulder, 4-Man | 20 Each | \$ | \$ |
| R121. 8-30 | Public Art | 1 Lump Sum | Lump Sum | \$ |
| R122. 8-31 | Cement Conc. Stairway | 181 Step | \$ | \$ |
| R123. 8-31 | Wrought Iron Hand Rail | 142 Lin. Ft. | \$ | \$ |
| R124. 8-32 | Segmental Concrete Retaining Wall | 6950 Sq. Ft. | \$ | \$ |
| R125. 8-33 | Cement Conc. Wall | 483 Lin. Ft. | \$ | \$ |
| (1) | Base Bid (Subtotal Items Nos. R1 - R125) | | \$ | |

| | Schedule B: Wastewater Improvements (Rule 170) | | | | |
|----------------------|--|--------------------|----------------------|------------------------|--|
| ITEM <u>NO.</u> | ITEM DESCRIPTION | ESTIMATED QUANTITY | UNIT <u>PRICE</u> | TOTAL <u>AMOUNT</u> | |
| WW1. 1-05 | Roadway Surveying | 1 Lump Sum | Lump Sum | \$ | |
| WW2. 1-05 | Project Redline Drawings | 1 Lump Sum | Lump Sum | \$ | |
| WW3. 1-07 | SPCC Plan | 1 Lump Sum | Lump Sum | \$ | |
| WW4 . 1-09 | Mobilization | 1 Lump Sum | Lump Sum | \$ | |
| WW5. 1-10 | Project Temporary Traffic Control | 1 Lump Sum | Lump Sum | \$ | |
| WW6. 2-09 | Structure Excavation Class B | 1020 Cu. Yd. | \$ | \$ | |
| WW7. 2-09 | Shoring or Extra Excavation Class B | 8875 Sq. Ft. | \$ | \$ | |
| WW8. 2-16 | Remove Manhole | 2 Each | \$ | \$ | |
| WW9. 5-04 | Temporary Pavement Patch | 70 Tons | \$ | \$ | |
| WW10. 7-05 | Manhole 48 In. Diam. Type 1 | 3 Each | \$ | \$ | |
| WW11. 7-05 | Manhole Additional Height 48 In. Diam. Type 1 | 1 Lin. Ft. | \$ | \$ | |
| WW12. 7-05 | Reconnect Existing Sewer Pipe, 8-In. Diam., to New Structure | 1 Each | \$ | \$ | |
| WW13. | Temporary Sanitary Sewer Bypass | 1 Lump Sum | Lump Sum | \$ | |
| WW14. 7-08 | Temporary Sanitary Sewer Bypass plan | 1 Lump Sum | Lump Sum | \$ | |
| WW15. | Removal and Replacement of Unsuitable Material | 850 Cu. Yd. | \$ | \$ | |
| ITEM | | ESTIMATED | UNIT | TOTAL | |

| NO. | ITEM DESCRIPTION | QUANTITY | <u>PRICE</u> | <u>AMOUNT</u> |
|---|--|-----------------|--------------|---------------|
| WW16. | PVC Sanitary Sewer Pipe 6 In. Diam. | 105 Lin. Ft. | \$ | \$ |
| WW17. | PVC Sanitary Sewer Pipe 8 In. Diam. | 435 Lin. Ft. | \$ | \$ |
| WW18. | PVC Sanitary Sewer Pipe, C900 6 In. Diam. | 385 Lin. Ft. | \$ | \$ |
| WW19. | Testing Sewer Pipe | 925 Lin. Ft. | \$ | \$ |
| WW20. 7-19 | Sewer Cleanout | 14 Each | \$ | \$ |
| WW21. 8-01 | Erosion/Water Pollution Control | 1 Lump Sum | Lump Sum | \$ |
| (3) Base Bid \$ (Subtotal Items Nos. WW1 - WW21) | | | | |

Schedule C: Water Improvements (Rule 170)

ITEM ESTIMATED UNIT

NO. ITEM DESCRIPTION QUANTITY PRICE

| ITEM NO. | ITEM DESCRIPTION | ESTIMATED QUANTITY | UNIT <u>PRICE</u> | TOTAL <u>AMOUNT</u> |
|-------------|--|--------------------|----------------------|------------------------|
| W1. | Mobilization (1-09.7) | 1 Lump Sum | Lump Sum | \$ |
| W2. | Project Temporary Traffic Control (1-10) | 1 Lump Sum | Lump Sum | \$ |
| W3. | Removal/Disposal of existing asphalt, concrete sidewalk/curbing & concrete pavement. Includes all thicknesses and combinations (2-02.3(3)) | 683 Sq. Yd. | \$ | \$ |
| W4. | Temporary HMA Class ½" PG58-22, 2-inch minimum depth, installed & removed (5-04) | 683 Sq. Yd. | \$ | \$ |
| W5. | Crushed Surfacing Top Course for trench backfill (7-09.5 & 9-03.9(3)) | 1751 Ton | \$ | \$ |
| W6. | Storm, Sanitary, Side Sewer Restoration (7-04,7-09.5, 7-17, & 7-18) | 10 Each | \$ | \$ |
| W7. | Trench Excavation & Disposal (7-09.3(7) & 7-09.5) | 1128 Cu. Yd. | \$ | \$ |
| W8. | Trench Shoring (7-09.3(7) & 7-09.5) | 2050 Lin. Ft. | \$ | \$ |
| W9. | Sand for pipe bedding of PVC pipe (7-09) | 252 Ton | \$ | \$ |
| W10. | 16-inch Ductile Iron Pipe, Push- On Joint, ANSI/AWWA, C151, Special Class Thickness No. 52, to furnish, lay and test, (7- 09.3(15)A, 7-09.5 & 9-30.1(1)) | 153 Lin. Ft. | \$ | \$ |
| W11. | 6-inch Ductile Iron Pipe, Push- On Joint, ANSI/AWWA, C151, Special Class Thickness No. 52, to furnish, lay and test, (7- 09.3(15)A, 7-09.5 & 9-30.1(1)) | 160 Lin. Ft. | \$ | \$ |
| W12. | 8-inch PVC Pipe, Push-On Joint, ANSI/AWWA, C900, DR14, with tracer wire , to furnish, lay and test | 1656 Lin. Ft. | \$ | \$ |
| W13. | 4-inch PVC Pipe, Push-On Joint, ANSI/AWWA, C900, DR14, with tracer wire , to furnish, lay and test | 255 Lin. Ft. | \$ | \$ |

| ITEM <u>NO.</u> | ITEM DESCRIPTION 16-inch x 8-inch Ductile Iron | ESTIMATED QUANTITY | UNIT <u>PRICE</u> | TOTAL <u>AMOUNT</u> |
|--------------------|---|--------------------|----------------------|------------------------|
| W14. | Tee, 3-B, M.J., installed (9-30.2(1)) | 1 Each | \$ | \$ |
| W15. | 16-inch x 6-inch Ductile Iron Tee, 3-B, M.J., installed (9- 30.2(1)) | 5 Each | \$ | \$ |
| W16. | 8-inch x 6-inch Ductile Iron Tee, 3-B, M.J., installed (9-30.2(1)) | 1 Each | \$ | \$ |
| W17. | 8-inch Ductile Iron Tee, 3-B, M.J., installed (9-30.2(1)) | 1 Each | \$ | \$ |
| W18. | 6-inch Ductile Iron Tee, 3-B, M.J., installed (9-30.2(1)) | 1 Each | \$ | \$ |
| W19. | 8-inch x 6-inch Ductile Iron Reducer, M.J., installed. (7-09, & 9-30.2(1)) | 1 Each | \$ | \$ |
| W20. | 6-inch Ductile Iron Vertical Ell, M.J., 45°, installed. (7-09, & 9-30.2(1)) | 2 Each | \$ | \$ |
| W21. | 16-inch Transition Coupling with 14-inch center ring, epoxy coating, and stainless steel bolts, C.I. to D.I. (7-09.3(19)A, 7-09.5 & 9-30.2(7)) | 22 Each | \$ | \$ |
| W22. | 6-inch Transition Coupling with 7-inch center ring, epoxy coating, and stainless steel bolts, C.I. to D.I., installed (7-09.3(19)A, 7-09.5 & 9-30.2(7)) | 1 Each | \$ | \$ |
| W23. | 16-inch Ductile Iron Cap, M.J., tapped 2", installed and removed (7-09.5 & 9-30.2(1)) | 2 Each | \$ | \$ |
| W24. | 8-inch Ductile Iron Cap, M.J., tapped 2", installed and removed (7-09.5 & 9-30.2(1)) | 1 Each | \$ | \$ |
| W25. | 8-inch Ductile Iron Plug, M.J., tapped 2" installed and removed (7-09.5 & 9-30.2(1)) | 2 Each | \$ | \$ |
| W26. | 4-inch Ductile Iron Cap, M.J., tapped 2", installed and removed (7-09.5 & 9-30.2(1)) | 2 Each | \$ | \$ |
| W27. | 4-inch Ductile Iron Solid Sleeve (Long Pattern) M.J., installed. (7-09.5, & 9-30.2(1)) | 2 Each | \$ | \$ |

| ITEM NO. | ITEM DESCRIPTION | ESTIMATED QUANTITY | UNIT <u>PRICE</u> | TOTAL <u>AMOUNT</u> |
|-------------|--|--------------------|----------------------|------------------------|
| W28. | Temporary 2-inch Blow-Off Assembly, installed and removed (Dwg. 17-56-1) (7- 09.3(22) & 7-09.5) | 7 Each | \$ | \$ |
| W29. | 16-inch Mechanical Joint Restraining Glands (7-14, 7- 09.5 & 9-30.2(6)) | 6 Each | \$ | \$ |
| W30. | 8-inch Mechanical Joint Restraining Glands (7-14, 7- 09.5 & 9-30.2(6)) | 5 Each | \$ | \$ |
| W31. | 6-inch Mechanical Joint Restraining Glands (7-14, 7- 09.5 & 9-30.2(6)) | 28 Each | \$ | \$ |
| W32. | 4-inch Mechanical Joint Restraining Glands (7-14, 7- 09.5 & 9-30.2(6)) | 4 Each | \$ | \$ |
| W33. | Concrete Thrust Anchor, installed. (7-09.3(21) & 7-09.5) | 3 Each | \$ | \$ |
| W34. | Excavate, remove and dispose of existing valve chamber, piping, conduits and other appurtenances (7-05) | 9 Each | \$ | \$ |
| W35. | Adjust Existing Supply Manhole (7-05) | 5 Each | \$ | \$ |
| W36. | Adjust Supply Main Vent Pipe Adjustment (7-05) | 3 Each | \$ | \$ |
| W37. | Removal, haul and disposal of abandoned C.I. pipe, all sizes. (2-02.3) (7-09.4 & 7-09.5) | 176 Lin. Ft. | \$ | \$ |
| W38. | Removal, haul and disposal of abandoned D.I. pipe, all sizes. (2-02.3) (7-09.4 & 7-09.5) | 232 Lin. Ft. | \$ | \$ |
| W39. | Temporary Concrete Thrust Anchor, installed and removed (7-09.3(21) & 7-09.5) | 7 Each | \$ | \$ |
| W40. | Trench Compaction Test (as directed by the Inspector) (7-09.3(11) & 7-09.5) | 41 Each | \$ | \$ |
| W41. | Test Holes (See Special Provisions). (7-09.3(6) & 7- 09.5) | 1 Lump Sum | Lump Sum | \$ |
| W42. | 16-inch B/F Valve, M.J., ANSI/AWWA, C504 with C.I. Valve Box, installed | 8 Each | \$ | \$ |

| ITEM NO. | ITEM DESCRIPTION | ESTIMATED QUANTITY | UNIT <u>PRICE</u> | TOTAL <u>AMOUNT</u> |
|-------------|---|-----------------------|----------------------|------------------------|
| W43. | 8-inch Gate Valve, M.J., ANSI/AWWA, C509/515, with C.I. Valve Box (7-12 & 9.30.3) | 4 Each | \$ | \$ |
| W44. | 6-inch Gate Valve, M.J., ANSI/AWWA, C509/515, with C.I. Valve Box (7-12 & 9.30.3) | 7 Each | \$ | \$ |
| W45. | 8-inch Tapping Sleeve. installed (7-09 & 9-30.3) | 1 Each | \$ | \$ |
| W46. | 8-inch Tapping Gate Valve, M.J., ANSI/AWWA, C509/515, with C.I. Valve Box (7-12 & 9.30.3) 6-inch Hydrant, M.J., 4.5-ft | 1 Each | \$ | \$ |
| W47. | bury, with 4-inch Tacoma Standard Threads & 5-inch Quick Coupling (7-14 & 9- | 1 Each | \$ | \$ |
| W48. | 30.5(2)) 6-inch Hydrant, M.J., 5.5-ft bury, with 4-inch Tacoma Standard Threads & 5-inch Quick Coupling (7-14 & 9- 30.5(2)) | 5 Each | \$ | \$ |
| W49. | 6-inch Hydrant, M.J., 6.0-ft bury, with 4-inch Tacoma Standard Threads & 5-inch Quick Coupling (7-14 & 9- | 1 Each | \$ | \$ |
| W50. | 30.5(2)) Street cleaning with Self- propelled Pickup and Vacuum Street Sweeper Equipment. (8- 01.3(8)) | 34 Hour | \$ | \$ |
| W51. | Force Account (1-09.6) | 1 Force Account | Estimated | \$ <u>60000</u> |
| (6) | Base Bid (Subtotal Items Nos. W1 – W51) |) | \$ | |

SCHEDULE A: ROADWAY IMPROVEMENTS (R) (Rule 171)

| | Base Bid (Subtotal Items Nos. R1 – R125) | \$ | (1) |
|--------|---|----|-----|
| | ROADWAY IMPROVEMENTS TOTAL | \$ | (2) |
| SCHEDU | LE B: WASTE WATER IMPROVEMENTS (W) (Rule 170) |) | |
| | Base Bid (Subtotal Items Nos. WW1- | \$ | (3) |
| | WW21) 10.3% Sales Tax (Items Nos. WW1-WW21) | \$ | (4) |
| WAST | E WATER MAIN IMPROVEMENTS TOTAL | \$ | (5) |
| SCHEDU | LE C: WATER MAIN IMPROVEMENTS (W) (Rule 170) | | |
| | Base Bid (Subtotal Items Nos. W1-W51) | \$ | (6) |
| | 10.3% Sales Tax (Items Nos. W1-W51) | \$ | (7) |
| | WATER MAIN IMPROVEMENTS TOTAL | \$ | (8) |
| | | | |
| | ASE BID (2) + (3) + (6) uding sales tax) Rule 170 | \$ | |

Proposal for Incorporating Recycled Materials into the Project

| propose below, the total percent of cinto the Project that are recycled ma | rent into effect January 1, 2016 (SHB1695), the Bidder shall construction aggregate and concrete materials to be incorporated aterials. Calculated percentages must be within the amounts le on Maximum Allowable Percent (By Weight) of Recycled ons. |
|---|---|
| • | percent. |
| constitute a Bidder Preference, and lowest responsive Bid totals are exaused as a tie-breaker, per the APW, the Bidder's stated proposed perceraccomplish. Bidders will be required | nighly encouraged within the limits shown above, but does not will not affect the determination of award, unless two or more actly equal, in which case proposed recycling percentages will be A GSP in Section 1-02.6 of the Special Provisions. Regardless, ntages will become a goal the Contractor should do its best to d to report on recycled materials actually incorporated into the VA GSP in Section 1-06.6 of the Special Provisions. |
| Bidder: | |
| Signature of Authorized Official: | |
| Date: | |