



CITY OF TACOMA
Environmental Services

ADDENDUM NO. 1

DATE: September 22, 2020

REVISIONS TO:

Request for Bids Specification No. ES20-0001F

Stormwater & Wastewater Sewer Replacement Project (Various Areas): S Wright Ave, N Carr St, N Karl Johan Ave, S 9th St, N 12th St, N 26th St, & S 53rd St

NOTICE TO ALL BIDDERS:

This addendum is issued to clarify, revise, add to or delete from, the original specification documents for the above project. This addendum, as integrated with the original specification documents, shall form the specification documents. The noted revisions shall take precedence over previously issued specification documents and shall become part of this contract.

REVISIONS TO THE SUBMITTAL DEADLINE:

The submittal deadline remains the same.

REVISIONS TO THE SPECIAL PROVISIONS:

Change No. 1 – Revision to Section 9-03.12 Gravel Backfill

Delete section 9-03.12(3) and add the following:

**9-03.12(10) Pea Gravel
(September 20, 2018 Tacoma GSP)**

Sieve Size	Percent Passing*
¾" square	100
⅜" square	95-100
U.S. No. 8	0 - 10
U.S. No. 200	0 - 3

Sand Equivalent 35 Minimum

*All percentages are by weight

NOTE: Acknowledge receipt of this addendum by initialing the corresponding space as indicated on the Signature Page. Vendors who have already submitted their bid/proposal may contact the Purchasing Division at 253-502-8468 and request return of their bid/proposal for acknowledgment and re-submittal. Or, a letter acknowledging receipt of this addendum may be submitted in an envelope marked Request for Bids Specification No. ES20-0001F Addendum

No. 1. The City reserves the right to reject any and all bids, including, in certain circumstances, for failure to appropriately acknowledge this addendum.

cc: Jordan Ennis, Environmental Services