

CITY OF TACOMA

Environmental Services

ADDENDUM NO. 1 DATE: June 22, 2022

REVISIONS TO:

Request for Bids Specification No. ES21-0004F Madison District Green Infrastructure Project

NOTICE TO ALL BIDDERS:

This addendum is issued to clarify, revise, add to or delete from, the original specification documents for the above project. This addendum, as integrated with the original specification documents, shall form the specification documents. The noted revisions shall take precedence over previously issued specification documents and shall become part of this contract.

REVISIONS TO THE SUBMITTAL DEADLINE:

The submittal deadline has been changed to 11:00 a.m., Pacific Time, Tuesday, July 12, 2022.

REVISIONS TO THE PROPOSAL PAGES:

Replace the Bid Proposal in its entirety. The Bid Proposal has been replaced with the attached labeled "Addendum 1"

REVISIONS TO THE SUBMITTAL PACKAGE:

Replace the Submittal Package in its entirety. The bid submittal package has been replaced with the attached labeled "Addendum 1"

NOTE: Acknowledge receipt of this addendum by initialing the corresponding space as indicated on the signature page. Vendors who have already submitted their bid/proposal may contact the Purchasing Division at 253-502-8468 and request return of their bid/proposal for acknowledgment and re-submittal. Or a letter acknowledging receipt of this addendum may be submitted in an envelope marked Request for Bids Specification No. ES21-0004F Addendum No. 1. The City reserves the right to reject any and all bids, including, in certain circumstances, for failure to appropriately acknowledge this addendum.

cc: Seth Gottlieb / Environmental Services

Form No. SPEC-220A Revised: 07/30/2015

BID PROPOSAL

SPECIFICATION NO. ES21-0004F

Madison District Green Infrastructure Project

The undersigned hereby certifies that he/she has examined the location and construction details of work as outlined on the Plans and Specifications for Project No. ENV-03031-25 and has read and thoroughly understands the Plans and Specifications and contract governing the work embraced in this improvement and the method by which payment will be made for said work, and hereby proposes to undertake and complete the work embraced in this improvement in accordance with said Plans, Specifications and contract and at the following schedule of rates and prices:

NOTE: 1. Unit prices of all items, all extensions and total amount of bid should be shown. Show unit prices in figures only.

- The notations below the item numbers refer to the specification section where information may be found regarding each contract item. These notations are intended only as a guide and are not warranted to refer to all specification sections where information may be found.
- 3. Washington State Department of Revenue Rules 170 and 171 shall apply as shown in the Proposal and per Section 1-07.2 of the WSDOT State Amendments to the Standard Specifications. **Items marked with a * signifies both rules may apply**.

SCHEDULE A: ROADWAY IMPROVEMENTS (Rule 171)

ITEM <u>NO.</u>	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT <u>PRICE</u>	TOTAL <u>AMOUNT</u>
R1. 1-05	Project Red Line Drawings	1 Lump Sum	Lump Sum	\$
R2. 1-07	SPCC Plan	1 Lump Sum	Lump Sum	\$
R3. 1-09	Mobilization	1 Lump Sum	Lump Sum	\$
R4. 1-10	Pedestrian Traffic Control	1 Lump Sum	Lump Sum	\$
R5. 1-10	Project Temporary Traffic Control	1 Lump Sum	Lump Sum	\$

Contractor's Name:	
Specification No. ES21-0004F	

Addendum 1 Page 1 of 17

ITEM <u>NO.</u>	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT <u>PRICE</u>	TOTAL <u>AMOUNT</u>
R6. 2-01	Clearing and Grubbing	1 Lump Sum	Lump Sum	\$
R7. 2-01	Certified Arborist	1 Force Account	Estimated	\$20,000
R8. 2-02	Removal of Structures & Obstructions	1 Lump Sum	Lump Sum	\$
R9. 2-03	Roadway Excavation, Incl. Haul	12,500 Cu. Yd.	\$	\$
R10. 2-03	Gravel Borrow Incl. Haul	200 Ton	\$	\$
R11. 2-12	Construction Geosynthetic for Separation	14,350 Sq. Yd.	\$	\$
R12. 2-14	Remove Existing Pavement, Type I Class A2	10,500 Sq. Yd.	\$	\$
R13. 2-14	Remove Existing Pavement, Type I, Class 4A	13,000 Sq. Yd.	\$	\$
R14. 2-14	Remove Existing Pavement, Type I, Class C6	2,750 Sq. Yd.	\$	\$
R15. 2-15	Remove Curb	4,600 Lin. Ft.	\$	\$
R16. 4-04	Crushed Surfacing Top Course	750 Ton	\$	\$
R17. 4-04	Crushed Surfacing Base Course	2,200 Ton	\$	\$
R18. 4-04	Permeable Ballast	5,350 Ton	\$	\$
R19. 4-05	Filter Sand	5,100 Ton	\$	\$
R20. 4-06	Permeable Asphalt Treated Base PG 58V-22	3,400 Ton	\$	\$

Page 2 of 17

ITEM <u>NO.</u>	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT <u>PRICE</u>	TOTAL <u>AMOUNT</u>
R21. 5-04	PHMA CL ½" PG 58V-22	2,700 Ton	\$	\$
R22. 5-04	HMA for Approach CL ½" PG 58H-22	150 Sq. Yard	\$	\$
R23. 5-04	HMA CL ½" PG 58H-22	1,600 Ton	\$	\$
R24. 7-05	Adjust Existing Storm Filter	1 Each	\$	\$
R25. 7-05	Adjust Existing Catch Basin, Furnish new Frame & Grate	11 Each	\$	\$
R26. 7-05	Adjust Existing Valve Chamber to Grade	34 Each	\$	\$
R27. 7-05	Adjust Existing Manhole Furnish New Frame & Lid	21 Each	\$	\$
R28. 7-08	Pothole Existing Utility	5 Each	\$	\$
R29. 7-20	Residential Storm Drain	5 Each	\$	\$
R30. 8-01	Erosion/Water Pollution Control	1 Force Account	Estimated	\$15,000
R31. 8-01	Stormwater Pollution Prevention Plan (SWPPP)	1 Lump Sum	Lump Sum	\$
R32. 8-01	NPDES Construction Stormwater General Permit	1 Lump Sum	Lump Sum	\$
R33. 8-01	Inlet Protection	44 Each	\$	\$
R34. 8-01	Street Cleaning	300 Hour	\$	\$
R35. 8-02	Landscape Restoration	1 Force Account	Estimated	\$50,000_
R36. 8-02	Plant Selection 'Styrax Japonicus'	64 Each	\$	\$

Page 3 of 17

ITEM NO.	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT <u>PRICE</u>	TOTAL <u>AMOUNT</u>
R37. 8-02	Plant Selection <i>'Tsuga Mertensen'</i>	63 Each.	\$	\$
R38. 8-02	Plant Selection 'Magnolia Grandiflora'	64 Each	\$	\$
R39. 8-02	Plant Selection 'Syringa Reticulata'	66 Each	\$	\$
R40. 8-02	Plant Selection 'Quercus Garryana'	55 Each	\$	\$
R41. 8-02	Seeding, Fertilizing & Mulching	5,885 Sq. Yard	\$	\$
R42. 8-02	Topsoil Type A	5,885 Sq. Yard	\$	\$
R43. 8-04	Cement Conc. Traffic Curb & Gutter	3,650 Lin. Ft.	\$	\$
R44. 8-04	Cement Conc. Pedestrian Curb	750 Lin. Feet	\$	\$
R45. 8-04	Cement Conc. Traffic Curb & Gutter	8,700 Lin. Feet	\$	\$
R46. 8-04	Type "D" Mountable Barrier Curb	350 Lin. Yd.	\$	\$
R47. 8-04	Pavement Separation Barrier Curb	550 Lin. Feet	\$	\$
R48. 8-06	Cement Conc. Driveway Entrance	3,500 Sq. Yard	\$	\$
R49. 8-12	Chain Link Fence	450 Lin. Ft.	\$	\$
R50. 8-12	Wood Fence	100 Lin. Ft.	\$	\$
R51. 8-13	Poured Monument	10 Each	\$	\$
R52. 8-14	Cement Conc. Sidewalk	3,350 Sq. Yard	\$	\$

Page 4 of 17

ITEM <u>NO.</u>	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT <u>PRICE</u>	TOTAL <u>AMOUNT</u>
R53. 8-04	Cement Conc. Curb Ramp	73 Each	\$	\$
R54. 8-18	Relocate Mailbox	1 Each	\$	\$
R55. 8-21	Permanent Signing	1 Lump Sum	Lump Sum	\$
R56. 8-22	Plastic Line	336 Lin. Ft.	\$	\$
R57. 8-22	Plastic Crosswalk	260 Lin. Ft.	\$	\$
R58. 8-40	Traffic Circle	4 Each	\$	\$

SCHEDULE B: STORM SEWER IMPROVEMENTS (Rule 171)

ITEM <u>NO.</u>	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT <u>PRICE</u>	TOTAL <u>AMOUNT</u>
S1 . 2-09	Structure Excavation Class B	1,800 Cu. Yd.	\$	\$
S2. 2-09	Shoring or Extra Excavation Class B	26,900 Sq. Ft.	\$	\$
S3. 2-16	Remove Catch Basin	24 Each	\$	\$
S4. 2-16	Remove Manhole	6 Each	\$	\$
S5 . 5-04	Temporary HMA CL 1/2" PG 58H-22, 2-Inch Minimum Depth, Installed & Removed	800 Sq. Yd.	\$	\$
S6 . 7-05	Catch Basin Type 2	1 Each	\$	\$
S7. 7-05	Catch Basin Type 1	35 Each	\$	\$
S8. 7-05	Manhole 48-In. Diam. Type 1	12 Each	\$	\$
S9. 7-05	Manhole 60 In. Diam. Type 3	1 Each	\$	\$
S10 7-05	Manhole 60-In. Diam. Type 1	2 Each	\$	\$
S11. 7-05	Manhole Additional Height 48 In. Diam. Type 1	3 Lin. Feet	\$	\$
S12. 7-05	Connect New 6- In. Sewer Pipe to Existing Structure	3 Each	\$	\$
S13. 7-05	Connect new 12-In. Sewer Pipe to Existing Structure	10 Each	\$	\$
S14. 7-05	Reconnect Existing 8-In. Sewer Pipe to new Structure	1 Each	\$	\$

Contractor's Name: Specification No. ES21-0004F

Addendum 1 Page 6 of 17

ITEM NO.	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT <u>PRICE</u>	TOTAL <u>AMOUNT</u>
S15. 7-05	Reconnect Existing 10-In. Sewer Pipe to New Structure	2 Each	\$	\$
S16. 7-05	Reconnect Existing 12-In. Sewer Pipe to New Structure	6 Each	\$	\$
S17. 7-05	Reconnect Existing 15-In. Sewer Pipe to New Structure	7 Each	\$	\$
S18. 7-05	Reconnect Existing 18-In. Sewer Pipe to New Structure	4 Each	\$	\$
S19. 7-05	Reconnect Existing 21-In. Sewer Pipe to New Structure	1 Each	\$	\$
S20. 7-05	Reconnect Existing 24-In. Sewer Pipe to New Structure	1 Each	\$	\$
S21. 7-05	C900 Storm Sewer Pipe 12 In. Diam.	24 Lin. Feet	\$	\$
S22. 7-08	Temporary Storm Sewer Bypass	1 Lump Sum	Lump Sum	\$
S23. 7-08	Temporary Storm Sewer Bypass Plan	1 Lump Sum	Lump Sum	\$
S24. 7-08	CDC for Pipe Abandonment	1 Cu. Yard	\$	\$
S25. 7-08	Plugging Existing Pipe	1 Each	\$	\$
S26. 7-17	Removal and Replacement of Unsuitable Material Incl. Haul	1,275 Cu. Yd.	\$	\$
S27. 7-17	PVC Storm Sewer Pipe 12 In. Diam.	1,385 Lin. Ft.	\$	\$
S28. 7-17	PVC Storm Sewer Pipe 4 In. Diam.	14 Lin. Ft.	\$	\$
S29. 7-17	Ductile Iron Storm Sewer Pipe 12-In. Diam.	651 Lin. Ft.	\$	\$

Page 7 of 17

SCHEDULE C: WASTEWATER SEWER IMPROVEMENTS (Rule 170)

ITEM <u>NO.</u>	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT <u>PRICE</u>	TOTAL <u>AMOUNT</u>
WW1. 2-09	Structure Excavation Class B	7,550 Cu. Yd.	\$	\$
WW2. 2-09	Shoring or Extra Excavation Class B	95,100 Sq. Ft.	\$	\$
WW3. 2-16	Remove Manhole	14 Each	\$	\$
WW4. 5-04	Temporary HMA CL 1/2" PG 58H-22, 2-Inch Minimum Depth, Installed & Removed	2350 Sq. Yd.	\$	\$
WW5. 7-05	Manhole 48-In. Diam. Type 1	5 Each	\$	\$
WW6. 7-05	Manhole 60 In. Diam Type 1	9 Each	\$	\$
WW7. 7-05	Manhole 72 In. Diam. Type 1	1 Each	\$	\$
WW8 7-05	Manhole Additional Height 60 In. Diam. Type 1	88 Lin. Ft.	\$	\$
WW9. 7-05	Manhole Additional Height 48 In. Diam. Type 1	25 Lin. Ft.	\$	\$
WW10. 7-05	Manhole Additional Height 72 In. Diam. Type 1	5 Lin. Ft.	\$	\$
WW11. 7-05	Connect New 21 In. Sewer Pipe to Existing Structure	1 Each	\$	\$
WW12. 7-05	Reconnect Existing Sewer Pipe 8- In. Diam. to New Structure	17 Each	\$	\$
WW13. 7-08	Drop Manhole Connection, 8-In. Diam.	10 Each	\$	\$
WW14. 7-08	Temporary Sanitary Sewer Bypass	1 Lump Sum	Lump Sum	\$
WW15. 7-08	Temporary Sanitary Sewer Bypass Plan	1 Lump Sum	Lump Sum	\$

Contractor's Name: Specification No. ES21-0004F

Addendum 1 Page 8 of 17

ITEM <u>NO.</u>	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT <u>PRICE</u>	TOTAL <u>AMOUNT</u>
WW16.	Removal & Replacement of unsuitable material incl. haul	6,800 Cu. Yd.	\$ \$	\$ \$
WW17. 7-17	Sewer Cleanout	30 Each	Ψ	Ψ
WW18. 7-17	PVC Sanitary Sewer Pipe 6-In. Diam.	750 Lin. Ft.	\$	\$
WW19. 7-17	PVC Storm Sewer Pipe 24-In. Diam.	1,384 Lin. Ft.	\$	\$
WW20. 7-17	PVC Storm Sewer Pipe 21-In. Diam.	860 Lin. Ft.	\$	\$
WW21. 8-22	PVC Sanitary Sewer Pipe 18-In. Diam.	58 Lin. Ft.	\$	\$
WW22. 8-22	PVC Sanitary Sewer Pipe 15-In. Diam.	238 Lin. Ft.	\$	\$
WW23. 8-22	PVC Sanitary Sewer Pipe 12-In. Diam.	78 Lin. Ft.	\$	\$
WW24. 8-22	PVC Sanitary Sewer Pipe 8-In. Diam.	8 Lin. Ft.	\$	\$

SCHEDULE D: WATER MAIN IMPROVEMENTS (Rule 170)

ITEM NO.	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT <u>PRICE</u>	TOTAL <u>AMOUNT</u>
W1. 1-09.7	Mobilization	1 Lump Sum	Lump Sum	\$
W2. (1-10)	Project temporary traffic control	1 Lump Sum	Lump Sum	\$
W3. 2-02.3(3)	Removal/Disposal of existing asphalt,concrete sidewalk/curbing & concrete pavement. Includes all thickness & combinations	4,644 Sq. Yd.	\$	\$
W4. 5-04 & 9-03.8	Temporary HMA class ½" PG58H-22, 2-Inch minimum depth, installed & removed	4,644 Sq. Yd.	\$	\$
W5. 5-04 & 9-03.8	HMA CI ½" PG58H-22 pavement for permanent trench patch	146 Tons	\$	\$
W6. 9-03.9 (3) 7-09.5 & 9-03.9(3)	Crushed surfacing top course for trench backfill per 2018 WSDOT Standard Specs, shoulder restoration, & as directed by Inspector.	8,451 Ton	\$	\$
W7. 9-02.9(3) 7-09.5 & 9-03.9(3)	Crushed surfacing top course for street restoration per 2018 WSDOT Standard Specs, shoulder restoration, and as directed by the Inspector	10 Ton	\$	\$
W8. 7-09.3(9)	Gravel for pipe zone bedding of Polyethylene encased pipe	2,378 Ton	\$	\$
W9. 7-09.3(17)	8 mil. V-Bio enhanced polyethylene encasement installed on various sizes of ductile iron pipe & fittings	8,054 Ln. Ft.	\$	\$
W10. 7-04 7-09.5 7-17 & 7-18	Storm, sanitary, side sewer restoration	43 Each	\$	\$

Contractor's Name: Specification No. ES21-0004F

Addendum 1 Page 10 of 17

ITEM <u>NO.</u>	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT <u>PRICE</u>	TOTAL <u>AMOUNT</u>
W11. 7-09.3(7) & 7-09.5	Trench excavation & disposal	7,255 Cu. Yd.	\$	\$
W12. 7-09.3(7) & 7-09.5	Trench shoring	7,510 Lin. Ft.	\$	\$
W13. 7-09.3(15)A 7-09.5 & 9-03.1(1)	12-Inch ductile iron pipe, push-on joint, ANSI/AWWA, C151, Special class thickness No. 52, to furnish, lay and test	5,179 Lin. Ft.	\$	\$
W14. 7-09.3(15)A 7-09.5 & 9-30.1(1)	8-Inch ductile iron pipe, push-on joint, ANSI/AWAA, C151, special class thickness No. 52 to furnish, lay & test	2,281 Lin. Ft.	\$	\$
W15. 7-09.3(15)A 7-09.5 & 9-30.1(1)	6-Inch ductile iron pipe, push-on joint, ANSI/AWAA, C151, special class thickness No. 52 to furnish, lay & test	406 Lin. Ft.	\$	\$
W16. 9-30.2 & 9-06.5	30-Inch steel flange x plain end, 2-ft. long, installed. Does not include procuring actual water product which will be provided by contracting agency.	2 Each	\$	\$
W17. 9-30.2 & 9-06.5	30-Inch steel sleeve (Butt Straps) installed. Does not include procuring actual water product which will be provided by contracting agency.	2 Each	\$	\$
W18. 7-16	30-Inch flange isolation kit, installed. Does not include procuring actual water product which will be provided by contracting agency.	2 Each	\$	\$
W19. 9-30.2 & 9-06.5	30-Inch M.J. x flange adapter installed. Does not include procuring actual water product which will be provided by contracting agency.	2 Each	\$	\$

Page 11 of 17

ITEM <u>NO.</u>	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT <u>PRICE</u>	TOTAL <u>AMOUNT</u>
W20. 9-30.2(1)	12-Inch ductile iron tee, 3-B, M.J., installed	2 Each	\$	\$
W21. 9-30.2(1)	12-Inch x 6-Inch ductile iron tee, 3-B, M.J. installed	7 Each	\$	\$
W22. 9-30.2(1)	8-Inch x 6-Inch ductile iron tee, 3-B, M.J. installed	5 Each	\$	\$
W23. 7-05.9 & 9-30.2(1)	30-Inch x 16-Inch ductile iron reducer, PExPE, installed, including gaskets. Does not include procuring actual water product which will be provided by contracting agency	2 Each	\$	\$
W24. 7-05.9 & 9-30.2(1)	16-Inch x 12-Inch ductile iron reducer, LEB, installed, including gaskets. Does not include procuring actual water product which will be provided by contracting agency.	2 Each	\$	\$
W25. 7-05.9 & 9-30.2(1)	12-Inch x 6-Inch ductile iron reducer, 2-B, M.J., w/anchor, installed	5 Each	\$	\$
W26. 7-05.9 & 9-30.2(1)	8-Inch x 6-Inch ductile iron reducer, 2-B, M.J. w/anchor, installed	3 Each	\$	\$
W27. 9-30.2(1)	12-Inch ductile iron cross, 4-B, M.J., installed	3 Each	\$	\$
W28. 9-30.2(1)	12-Inch x 8-Inch ductile iron cross, 4-B, M.J., installed	3 Each	\$	\$
W29. 9-30.2(1)	12-Inch x 6-Inch ductile iron cross, 4-B, M.J., installed	1 Each	\$	\$
W30. 7-09 & 9-30.2(1)	12-Inch ductile iron Ell, M.J., 45°, installed	28 Each	\$	\$

Page 12 of 17

ITEM <u>NO.</u>	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT <u>PRICE</u>	TOTAL <u>AMOUNT</u>
W31. 7-09, 9-30.2(1)	12-Inch ductile iron ell, M.J., 22 ½°, installed	2 Each	\$	\$
W32. 7-09 & 9-30.2(1)	12-Inch ductile iron ell, M.J., 11 1/4°, installed	2 Each	\$	\$
W33. 7-09 & 9-30.2(1)	8-Inch ductile iron ell, M.J. 45°, installed	6 Each	\$	\$
W34. 7-09 & 9-30.2(1)	6-Inch ductile iron ell, M.J. 45°, installed	6 Each	\$	\$
W35. 7-09 & 9-30.2(1)	12-Inch ductile iron vertical ell, M.J, 11 ¼°, installed	2 Each	\$	\$
W36. 7-09 & 9-30.2(1)	6-Inch ductile iron vertical ell, M.J., 22 ½°, installed	2 Each	\$	\$
W37. 7-09.3(19)A 7-09.5 & 9-30.2(7)	12-Inch transition coupling with 7-Inch center ring, epoxy coating, and stainless-steel bolts, C.I. to D.I. installed	4 Each	\$	\$
W38. 7-09.3(19)A 7-09.5 & 9-30.2(7)	6-Inch transition coupling with 7-Inch center ring, epoxy coating, and stainless-steel bolts, C.I. to D.I. installed	13 Each	\$	\$
W39. 9-30.2(1) & 7-09.5	12-Inch ductile iron cap, M.J. tapped 4", installed and removed	12 Each	\$	\$
W40. 9-30.2(1) & 7-09.5	8-Inch ductile iron cap, M.J., tapped 2", installed and removed	3 Each	\$	\$

Page 13 of 17

ITEM <u>NO.</u>	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT <u>PRICE</u>	TOTAL <u>AMOUNT</u>
W41. 7-09.5 & 9-30.2(1)	6-Inch ductile iron cap M.J. taped 2", installed and removed	14 Each	\$	\$
W42. 7-09.5 & 9-30.2(1)	12-Inch ductile iron plug, M.J. installed and removed	2 Each	\$	\$
W43. 7-09.5 & 9-30.2(1)	8-Inch ductile iron plug, M.J. installed	1 Each	\$	\$
W44. 7-09.5 & 9-30.2(1)	6-Inch ductile iron plug, M.J. installed	2 Each	\$	\$
W45. 7-09.3(22) 7-09.5	Temporary 4-Inch blow-off assembly, installed and removed (Dwg. 17-56-1)	31 Each	\$	\$
W46. 9-30.2(6)	6-Inch Push on Joint Restraining Gasket, installed	3 Each	\$	\$
W47. 7-14 7-09.5 & 9-30.2(6)	30-Inch mechanical joint restraining glands	2 Each	\$	\$
W48. 7-14 7-09.5 & 9-30.2(6)	16-Inch mechanical joint restraining glands	2 Each	\$	\$
W49. 7-14 7-09.5 & 9-30.2(6)	12-Inch mechanical joint restraining glands	65 Each	\$	\$

Page 14 of 17

ITEM <u>NO.</u>	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT PRICE	TOTAL <u>AMOUNT</u>
W50. 7-14 7-09.5 & 9-30.2(6)	8-Inch mechanical joint restraining glands	15 Each	\$	\$
W51. 7-14 7-09.5 & 9-30.2(6)	6-Inch mechanical joint restraining glands	90 Each	\$	\$
W52. 7-09.3(21) 7-09.5	Concrete thrust anchor, installed	51 Each	\$	\$
W53. 7-09.3(21) 7-09.5	Temporary concrete thrust anchor, installed and removed	31 Each	\$	\$
W54.	Excavate, remove, and dispose of existing air vents, piping, and other appurtenances	1 Lump Sum	Lump Sum	\$
W55.	Excavate, remove, and dispose of existing valve chamber, piping, conduits, and other appurtenances	1 Lump Sum	Lump Sum	\$
W56. 2-02.3 & 7-09.3	Removal, cutting, loading and transport of abandoned 30-inch steel pipe, all thickness	2,400 Each	\$	\$
W57. 8-22	Parking Slip Markings	1 Lump Sum	Lump Sum	\$
W58. 7-09.3	Removal and disposal of abandoned CI pipe, all sizes	140 Lin. Ft.	\$	\$
W59. 7-09.3(11) 7-09.5	Trench compaction test (as direct by the Inspector)	255 Each	\$	\$
W60. 7-09.6(6) 7-09.5	Test holes (See special provisions)	1 Lump Sum	Lump Sum	\$

Page 15 of 17

ITEM <u>NO.</u>	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT <u>PRICE</u>	TOTAL <u>AMOUNT</u>
W61. 7-12 9-30.3	12-Inch butterfly valve, M.J., ANSI/AWWA, C504, with C.I. valve box	27 Each	\$	\$
W62. 7-12 & 9.30.3	8-Inch gate valve, M.J., ANSI/AWWA, C509/515, with C.I. valve box	7 Each	\$	\$
W63. 7-12 & 9.30.3	6-Inch gate valve, M.J., ANSI/AWWA, C509/515, with C.I. valve box	13 Each	\$	\$
W64. 7-14 & 9-30.5(2)	6-Inch hydrant, M.J. 4.5-ft bury, with 4-inch Tacoma standard threads & 5-inch quick coupling	2 Each	\$	\$
W65. 7-14 & 9-30.5(2)	6-Inch hydrant, M.J. 5.5-ft bury, with 4-inch Tacoma standard threads & 5-inch quick coupling	1 Each	\$	\$
W66. 7-14 & 9-30.5(2)	6-Inch hydrant, M.J., 6.0-ft bury, with 4-inch Tacoma standard threads & 5-inch quick coupling	7 Each	\$	\$
W67. 8-01.3(8)	Street cleaning with self-propelled pickup and vacuum street sweeper equipment	94 Hour	\$	\$
W68. 1-09.6	Force Account	1 Force Account	Estimated	\$80,000

SCHEDULE A: ROADWAY IMPROVEMENTS (R) (Rule 171)		
Base Bid (Subtotal Items Nos. R1 – R58)	\$	(1)
ROADWAY IMPROVEMENTS TOTAL	\$	(2)
SCHEDULE B: STORM SEWER IMPROVEMENTS (S) (Rule 171)		
Base Bid (Subtotal Items Nos. S1- S29)	\$	(3)
STORM SEWER IMPROVEMENTS TOTAL	\$	(4)
SCHEDULE C: WASTEWATER SEWER IMPROVEMENTS (WW) (Ru	ıle 170)	
Base Bid (Subtotal Items Nos. WW1 - WW24)	\$	(5)
10.3% Sales Tax (Items Nos. WW1 – WW24)	\$	(6)
WASTEWATER SEWER IMPROVEMENTS TOTAL	\$	(7)
SCHEDULE D: WATER MAIN IMPROVEMENTS (W) (Rule 170)		
Base Bid (Subtotal Items Nos. W1-W69)	\$	(8)
10.3% Sales Tax (Items Nos. W1-W69)	\$	(9)
WATER MAIN IMPROVEMENTS TOTAL	\$	(10)
TOTAL BASE BID (1) + (3) + (5) + (8) \$		_
Contractor's Name: Specification No. ES21-0004F Addendum 1		

Page 17 of 17

BID SUBMITTAL PACKAGE



SPECIFICATION NO. ES21-0004F

MADISON DISTRICT GREEN INFRASTRUCTURE PROJECT

Project No.
Surface Water – ENV-03031-25
Wastewater – ENV-04023-18
Public Works – PWK-00438-18
Water – WTR-00604-01-13

Funded in part by the Washington State
Department of Ecology
Project No. WQC-2018-TacoES-00100

BID SUBMITTAL PACKAGE

TABLE OF CONTENTS

REQUEST FOR BIDS

SPECIAL REMINDER TO ALL BIDDERS

SPECIAL NOTICE TO ALL BIDDERS

FORMS TO BE RETURNED WITH BID SUBMITTAL:

- 1 Bid Proposal
- 2 Signature Page
- 3 Bid Bond
- 4 Certification Of Compliance With Wage Payment Statutes
- 5 State Responsibility and Reciprocal Bid Preference Information
- 6 List of Subcontractor Categories of Work
- 7 Certification of Nonsegregated Facilities
- 8 DBE Utilization Certification
- 9 DBE Subcontractor Participation Form
- 10 Statement of Qualifications
- 11 Subcontractor Bidder List

SPECIAL NOTE

The Bid Proposal and Contract forms have been included in both the Specifications Book and the Bid Submittal Package. The forms in the Specifications Book are for informational purposes only and need not be completed or submitted with the Bid. All forms in the Bid Submittal Package must be completed and submitted with the bid.



City of Tacoma Environmental Services/Science & Engineering Division

REQUEST FOR BIDS ES21-0004F MADISON DISTRICT GREEN INFRASTRUCTURE PROJECT

Submittal Deadline: 11:00 a.m., Pacific Time, Tuesday, July 12, 2022

Submittals must be received by the City's Procurement and Payables Division prior to 11:00 a.m. Pacific Time. For electronic submittals, the City of Tacoma will designate the time of receipt recorded by our email, bids@cityoftacoma.org, as the official time of receipt. This clock will be used as the official time of receipt of all parts of electronic bid submittals.

Submittal Delivery: Sealed submittals will be received as follows:

By Email:

bids@citvoftacoma.org

Maximum file size: 35 MB. Multiple emails may be sent for each submittal.

By Carrier:

If possible, please include a flash drive of your full submittal.

City of Tacoma Procurement & Payables Division Tacoma Public Utilities 3628 S 35th Street Tacoma, WA 98409

In Person:

If possible, please include a flash drive of your full submittal.

City of Tacoma Procurement & Payables Division Tacoma Public Utilities Administration Building North Guard House (east side of main building) 3628 S 35th Street Tacoma, WA 98409

By Mail:

If possible, please include a flash drive of your full submittal.

City of Tacoma Procurement & Payables Division Tacoma Public Utilities PO Box 11007 Tacoma, WA 98411-0007

Bid Opening: Held virtually each Tuesday at 11AM. Attend <u>via this link</u> or call 1 (253) 215 8782. Submittals in response to a RFB will be recorded as received. As soon as possible, after 1:00 PM, on the day of submittal deadline, preliminary results will be posted to <u>www.TacomaPurchasing.org.</u>

Solicitation Documents: An electronic copy of the complete solicitation documents may be viewed and obtained by accessing the City of Tacoma Purchasing website at www.tacomaPurchasing.org.

- Register for the Bid Holders List to receive notices of addenda, questions and answers and related updates.
- Click here to see a list of vendors registered for this solicitation.

Pre-Proposal Meeting: A pre-proposal meeting will be held via conference call from 11:00 AM – 12:30 PM on June 27th, 2022 to answer questions regarding the project in general as well as the Disadvantaged Business Enterprise Program (DBE) requirements included in the Contract. Prospective bidders are strongly urged to attend this meeting. You can join this meeting by calling **+1 (888) 850-4523** and entering: **544766**

Form No. SPEC-040C Revised: 05/25/2021

Project Scope: The Madison District Green Infrastructure project is replacing approximately 18 blocks of residential roadways between South 43rd Street and South 47th Street and between South Tacoma Way and Pine Street with approximately two standard asphalt blocks and approximately 15 pervious asphalt blocks with ballasted sidewalk. Work also includes replacing 3400LF of Wastewater, replacing or extending 1300LF of Surface Water pipe, and replacing 6400LF and removing 2000LF of Water pipe. Driveways, curb ramps, street trees, and channelization are included as well.

Estimate: \$10.5 Million to \$11.5 Million

Paid Sick Leave: The City of Tacoma requires all employers to provide paid sick leave as set forth in Title 18 of the Tacoma Municipal Code. For more information, visit our Minimum Employment Standards Paid Sick Leave webpage.

Americans with Disabilities Act (ADA Information: The City of Tacoma, in accordance with Section 504 of the Rehabilitation Act (Section 504) and the Americans with Disabilities Act (ADA), commits to nondiscrimination on the basis of disability, in all of its programs and activities. Specification materials can be made available in an alternate format by emailing Gail Himes at ghimes@cityoftacoma.org, or by calling her collect at 253-591-5785.

Title VI Information:

"The City of Tacoma" in accordance with provisions of Title VI of the Civil Rights Act of 1964, (78 Stat. 252, 42 U.S.C. sections 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, national origin in consideration of award.

Additional Information: Requests for information regarding the specifications may be obtained by contacting Dawn DeJarlais, Senior Buyer by email to ddejarlais@cityoftacoma.org

Protest Policy: City of Tacoma <u>protest policy</u>, located at <u>www.tacomapurchasing.org</u>, specifies procedures for protests submitted prior to and after submittal deadline.



Meeting sites are accessible to persons with disabilities. Reasonable accommodations for persons with disabilities can be arranged with 48 hours advance notice by calling 253-502-8468.

Form No. SPEC-040C Revised: 05/25/2021

SPECIAL REMINDER TO ALL BIDDERS

HEALTH & SAFETY: Be sure to comply with all City of Tacoma health and safety requirements.

1. This project has been deemed to be an essential project by the City of Tacoma and it is anticipated that the contract will be operational during the COVID-19 outbreak. Therefore the contractor shall complete a health and safety plan describing how the contractor will complete the work while combating the COVID-19 spread (social distancing practices) and what Personal Protective Equipment (PPE) will be in place.

PLEASE NOTE: Be sure you have complied with all specifications and requirements and have signed all required documents.

YOUR ATTENTION IS PARTICULARLY CALLED to the following forms, which must be executed in full before the bid is submitted:

- 1. <u>BID PROPOSAL</u>: The unit prices bid must be shown in the space provided. Check your computations for omissions and errors.
- 2. <u>BID PROPOSAL SIGNATURE SHEET</u>: To be filled in and executed by a duly authorized officer or representative of the bidding entity. If the bidder is a subsidiary or doing business on behalf of another entity, so state, and provide the firm name under which business is hereby transacted.
- 3. <u>BID BOND</u>: The Bid Bond must be executed by the person legally authorized to sign the bid, and must be properly signed by the representatives of the surety company unless the bid is accompanied by a certified check. If Bid Bond is furnished, the form furnished by the City must be followed; no variations from the language thereof will be accepted. The amount of the Bid Bond must be not less than 5% of the total amount bid.
- 4. <u>NON-COLLUSION DECLARATION</u>: Must be returned by the bidder and included with the submittal.

FAILURE TO RETURN THE AFOREMENTIONED NON-COLLUSION DECLARATION AND TO SUBMIT SAID DECLARATION WITH THE BID SHALL BE DUE CAUSE FOR REJECTION OF BID.

- CERTIFICATION OF COMPLIANCE WITH WAGE PAYMENT STATUTES: Bidder shall complete this form in its entirety to ensure compliance with state legislation (SHB 2017).
- 6. <u>STATE RESPONSIBILITY AND RECIPROCAL BID PREFERENCE INFORMATION</u>: Bidder shall complete this form in its entirety to ensure compliance with state legislation (SHB 2010).

7. <u>LIST OF SUBCONTRACTOR CATEGORIES OF WORK:</u> Bidder shall list all subcontractor(s) proposed to perform the work of heating, ventilation and air conditioning, plumbing, as described in Chapter 18.106 RCW and electrical as described in Chapter 19.28 RCW. Bidder shall also list all subcontractor(s) proposed to perform the work of structural steel installation and/or rebar installation.

FAILURE TO LIST SUBCONTRACTORS WILL RESULT IN THE BID BEING NON-RESPONSIVE AND THEREFORE VOID.

- 8. <u>STATEMENT OF QUALIFICATIONS:</u> The Contractor or subcontractor shall fill out this form in its entirety proving they meet the requirements as outlined in these specifications. It shall be the sole determination of the Engineer to determine if the Contractor/subcontractor does in fact meet the requirements. This is a condition of award of the contract.
- 9. <u>EQUAL EMPLOYMENT OPPORTUNITIES:</u> The City of Tacoma's Prime Contractor's Pre-Work Form shall be completed by the bidder and submitted with the bid. This form is used to determine the bidder's EEO practices in accordance with Executive Order 11246 and TMC 10.26.
- 10. CERTIFICATE OF NONSEGREGATED FACILITIES
- 11. <u>DBE, MBE, WBE UTILIZATION CERTIFICATE:</u> For federal purposes, DBEs proposed to be used on this project shall be shown as a DBE listed in the current Office of Minority and Women's Business Enterprises (OMWBE) Directory, or who can produce written proof from OMWBE showing they were certified as a DBE as of the date fixed for opening bids. When DBE, MBE, WBE goals are established failure to submit this form will render the proposal as non-responsive. The federal DBE, MBE, WBE goal for this project is 0%, 7%, and 6% respectively.
- 12. DBE SUBCONTRACTOR PERFORMANCE FORM
- 13. SUBCONTRACTORS BIDDER LIST
- 14. <u>ACKNOWLEDGEMENT:</u> Must be signed by the bidder and be subscribed and sworn to before a Notary Public. Be sure all parties whose signatures are legally necessary have signed, whether the bidder be an individual, partnership or corporation.

POST AWARD FORMS EXECUTED UPON AWARD:

- A. CONTRACT: Must be executed by the successful bidder.
- B. PAYMENT BOND TO THE CITY OF TACOMA: Must be executed by the successful bidder and his/her surety company.
- C. PERFORMANCE BOND TO THE CITY OF TACOMA: Must be executed by the successful bidder and his/her surety company.
- D. CERTIFICATE OF INSURANCE: Shall be submitted with all required endorsements.

E. GENERAL RELEASE.

<u>CODE OF ETHICS</u>: The successful bidder agrees that its violation of the City's Code of Ethics contained in TMC Chapter 1.46 shall constitute a breach of the contract subjecting the contract to termination.

<u>STATE INTEREST EXCLUSION CLAUSE</u>: It is anticipated that this project will be funded in part by the Washington State Department of Ecology. Neither the State of Washington nor any of its departments or employees are, or shall be, a party to this contract or any subcontract.

<u>DAVIS BACON CLAUSE</u>: The Successful bidder will be required to conform to the wage requirements prescribed by the federal Davis-Bacon and Relate Acts which requires that all laborers and mechanics employed by contractors and subcontractors performing on contracts funded in whole or in part by SRF appropriations in excess of \$2000 pay their laborers and mechanics not less than the prevailing wage rates and fringe benefits, and determined by the Secretary of Labor, for corresponding classes of laborers and mechanics employed on similar projects in the area."

CITY OF TACOMA FINANCE/PURCHASING DIVISION SPECIAL NOTICE TO BIDDERS

Public works and improvement projects for the City of Tacoma are subject to Washington state law and Tacoma Municipal Code, including, but not limited to the following:

I. STATE OF WASHINGTON

A. RESPONSIBILITY CRITERIA - STATE OF WASHINGTON

In order to be considered a responsible bidder the bidder must meet the following mandatory state responsibility criteria contained in RCW 39.04.350:

- 1. Have a current certificate of registration as a contractor in compliance with chapter 18.27 RCW, which must have been in effect at the time of bid submittal;
- 2. Have a current Washington Unified Business Identifier (UBI) number;
- 3. If applicable:
 - a. Have Industrial Insurance (workers' compensation) coverage for the bidder's employees working in Washington, as required in Title 51 RCW;
 - b. Have a Washington Employment Security Department number, as required in Title 50 RCW:
 - c. Have a Washington Department of Revenue state excise tax registration number, as required in Title 82 RCW and;
- 4. Not be disqualified from bidding on any public works contract under RCW 39.06.010 (unlicensed or unregistered contractors) or 39.12.065(3) (prevailing wage).
- 5. Have received training on the requirements related to public works and prevailing wage under this chapter and chapter 39.12 RCW and must designate a person or persons to be trained on these requirements. The training must be provided by the department of labor and industries or by a training provider whose curriculum is approved by the department. Bidders that have completed three or more public works projects and have had a valid business license in Washington for three or more years are exempt from this subsection.

B. RECIPROCAL PREFERENCE FOR RESIDENT CONTRACTORS:

Effective March 30, 2012, RCW 39.04.380 imposes a reciprocal preference for resident contractors. Any bid received from a non-resident contractor from a state that provides an instate percentage bidding preference is subject application of a comparable percentage disadvantage.

A non-resident contractor from a state that provides an in-state percentage bidding preference means a contractor that:

- 1. Is from a state that provides a percentage bid preference to its resident contractors bidding on public works projects, and
- 2. Does not have a physical office located in Washington at the time of bidding on the City of Tacoma public works project.

The state of residence for a non-resident contractor is the state in which the contractor was incorporated, or if not a corporation, the state in which the contractor's business entity was formed.

Revised: 07/29/2020 Page 1 of 4

The City of Tacoma will evaluate all non-resident contractors for an out of state bidder preference. If the state of the non-resident contractor provides an in state contractor preference, a comparable percentage disadvantage will be applied to the non-resident contractor's bid prior to contract award. The responsive and lowest and best responsible bidder after application of any non-resident disadvantage will be awarded the contract.

The reciprocal preference evaluation does not apply to public works procured pursuant to RCW 39.04.155, RCW 39.04.280, federally funded competitive solicitations where such agencies prohibit the application of bid preferences, or any other procurement exempt from competitive bidding.

Bidders must provide the City of Tacoma with their state of incorporation or the state in which the business entity was formed and include whether the bidder has a physical office located in Washington.

The bidder shall submit documentation demonstrating compliance with above criteria on the enclosed State Responsibility and Reciprocal Bidder Information form.

C. SUBCONTRACTOR RESPONSIBILITY

- 1. The Contractor shall include the language of this subcontractor responsibility section in each of its first tier subcontracts, and shall require each of its subcontractors to include the same language of this section in each of their subcontracts, adjusting only as necessary the terms used for the contracting parties. The requirements of this section apply to all subcontractors regardless of tier.
- 2. At the time of subcontract execution, the Contractor shall verify that each of its first tier subcontractors meets the following bidder responsibility criteria:
 - a. Have a current certificate of registration as a contractor in compliance with chapter 18.27 RCW, which must have been in effect at the time of subcontract bid submittal;
 - b. Have a current Washington Unified Business Identifier (UBI) number;
 - c. If applicable, have:
 - a. Have Industrial Insurance (workers' compensation) coverage for the bidder's employees working in Washington, as required in Title 51 RCW;
 - b. A Washington Employment Security Department number, as required in Title 50 RCW
 - c. A Washington Department of Revenue state excise tax registration number, as required in Title 82 RCW;
 - d. An electrical contractor license, if required by Chapter 19.28 RCW;
 - e. An elevator contractor license, if required by Chapter 70.87 RCW and;
- 3. Not be disqualified from bidding on any public works contract under RCW 39.06.010 (unlicensed or unregistered contractors) or 39.12.065(3) (prevailing wage).

Revised: 07/29/2020 Page 2 of 4

II. CITY OF TACOMA

A. SUPPLEMENTAL RESPONSIBILITY CRITERIA - CITY OF TACOMA:

In order to be considered a responsible bidder, the prospective bidder shall have all of the following qualifications set forth in Tacoma Municipal Code 1.06.262:

- 1. Adequate financial resources or the ability to secure such resources;
- 2. The necessary experience, stability, organization and technical qualifications to perform the proposed contract;
- 3. The ability to comply with the required performance schedule, taking into consideration all existing business commitments;
- 4. A satisfactory record of performance, integrity, judgment and skills; and
- 5. Be otherwise qualified and eligible to receive an award under applicable laws and regulations.
 - a. Bidder Responsibility. Bidders shall not be in violation of 39.04.350 RCW Bidder Responsibility Criteria Supplemental Criteria.

In addition to the mandatory bidder responsibility criteria listed immediately above, the City may, in addition to price, consider any or all of the following criteria contained in Tacoma Municipal Code Chapter 1.06.262 in determining bidder responsibility:

- 1. The ability, capacity, experience, stability, technical qualifications and skill of the respondent to perform the contract;
- 2. Whether the respondent can perform the contract within the time specified, without delay or interference:
- 3. Integrity, reputation, character, judgment, experience, and efficiency of the respondents, including past compliance with the City's Ethics Code;
- 4. Quality of performance of previous contracts;
- 5. Previous and existing compliance with laws and ordinances relating to contracts or services;
- 6. Sufficiency of the respondent's financial resources;
- 7. Quality, availability, and adaptability of the supplies, purchased services or public works to the particular use required;
- 8. Ability of the respondent to provide future maintenance and service on a timely basis;
- 9. Payment terms and prompt pay discounts;
- 10. The number and scope of conditions attached to the submittal;
- 11. Compliance with all applicable City requirements, including but not limited to the City's Ethics Code and its Equity in Contracting and Local Employment and Apprenticeship Training programs;
- 12. Other qualification criteria set forth in the specification or advertisement that the appropriate department or division head determines to be in the best interests of the City.

The City may require bidders to furnish information, sworn or certified to be true, to demonstrate compliance with the City responsibility criteria set forth above. If the city manager or director of utilities is not satisfied with the sufficiency of the information provided, or if the prospective respondent does not substantially meet all responsibility requirements, any submittal from such respondent must be disregarded.

Revised: 07/29/2020 Page 3 of 4

B. ADDITIONAL SUPPLEMENTAL CRITERIA - NOT APPLICABLE

C. MODIFICATIONS TO SUPPLEMENTAL CRITERIA

Potential bidders may request modifications to the City's **supplemental criteria** by submitting a written request to the Purchasing Division via email to bids@cityoftacoma.org no later than 5:00 p.m. Pacific Time, three days prior to the submittal deadline. Please include the Specification No. and Title when submitting such requests. Requests must include justification for why certain criteria should be modified. Requests received after this date and time will not be considered.

The City will respond to a timely submitted request prior to the bid opening date. Changes to the supplemental criteria, if warranted, will be issued by addendum to the solicitation documents and posted to the City's website for the attention of all prospective bidders.

D. DETERMINATION OF BIDDER RESPONSIBILITY

If the City determines the bidder does not meet the criteria above and is therefore not a responsible bidder, the City shall notify the bidder in writing with the reasons for its determination. If the bidder disagrees, the bidder may appeal the determination in a manner consistent with the City's Protest Policy. Appeals are coordinated by the Purchasing Division heard by the Procurement and Payables Division manager for contracts less than or equal to \$500,000 and by Contracts and Awards Board for contracts greater than \$500,000.

Revised: 07/29/2020 Page 4 of 4

BID PROPOSAL

SPECIFICATION NO. ES21-0004F

Madison District Green Infrastructure Project

The undersigned hereby certifies that he/she has examined the location and construction details of work as outlined on the Plans and Specifications for Project No. ENV-03031-25 and has read and thoroughly understands the Plans and Specifications and contract governing the work embraced in this improvement and the method by which payment will be made for said work, and hereby proposes to undertake and complete the work embraced in this improvement in accordance with said Plans, Specifications and contract and at the following schedule of rates and prices:

NOTE: 1. Unit prices of all items, all extensions and total amount of bid should be shown. Show unit prices in figures only.

- The notations below the item numbers refer to the specification section where information may be found regarding each contract item. These notations are intended only as a guide and are not warranted to refer to all specification sections where information may be found.
- 3. Washington State Department of Revenue Rules 170 and 171 shall apply as shown in the Proposal and per Section 1-07.2 of the WSDOT State Amendments to the Standard Specifications. **Items marked with a * signifies both rules may apply**.

SCHEDULE A: ROADWAY IMPROVEMENTS (Rule 171)

ITEM <u>NO.</u>	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT <u>PRICE</u>	TOTAL <u>AMOUNT</u>
R1. 1-05	Project Red Line Drawings	1 Lump Sum	Lump Sum	\$
R2. 1-07	SPCC Plan	1 Lump Sum	Lump Sum	\$
R3. 1-09	Mobilization	1 Lump Sum	Lump Sum	\$
R4. 1-10	Pedestrian Traffic Control	1 Lump Sum	Lump Sum	\$
R5. 1-10	Project Temporary Traffic Control	1 Lump Sum	Lump Sum	\$

Contractor's Name:	
Specification No. ES21-0004F	

Addendum 1 Page 1 of 17

ITEM <u>NO.</u>	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT <u>PRICE</u>	TOTAL <u>AMOUNT</u>
R6. 2-01	Clearing and Grubbing	1 Lump Sum	Lump Sum	\$
R7. 2-01	Certified Arborist	1 Force Account	Estimated	\$20,000
R8. 2-02	Removal of Structures & Obstructions	1 Lump Sum	Lump Sum	\$
R9. 2-03	Roadway Excavation, Incl. Haul	12,500 Cu. Yd.	\$	\$
R10. 2-03	Gravel Borrow Incl. Haul	200 Ton	\$	\$
R11. 2-12	Construction Geosynthetic for Separation	14,350 Sq. Yd.	\$	\$
R12. 2-14	Remove Existing Pavement, Type I Class A2	10,500 Sq. Yd.	\$	\$
R13. 2-14	Remove Existing Pavement, Type I, Class 4A	13,000 Sq. Yd.	\$	\$
R14. 2-14	Remove Existing Pavement, Type I, Class C6	2,750 Sq. Yd.	\$	\$
R15. 2-15	Remove Curb	4,600 Lin. Ft.	\$	\$
R16. 4-04	Crushed Surfacing Top Course	750 Ton	\$	\$
R17. 4-04	Crushed Surfacing Base Course	2,200 Ton	\$	\$
R18. 4-04	Permeable Ballast	5,350 Ton	\$	\$
R19. 4-05	Filter Sand	5,100 Ton	\$	\$
R20. 4-06	Permeable Asphalt Treated Base PG 58V-22	3,400 Ton	\$	\$

Page 2 of 17

ITEM <u>NO.</u>	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT <u>PRICE</u>	TOTAL <u>AMOUNT</u>
R21. 5-04	PHMA CL ½" PG 58V-22	2,700 Ton	\$	\$
R22. 5-04	HMA for Approach CL ½" PG 58H-22	150 Sq. Yard	\$	\$
R23. 5-04	HMA CL ½" PG 58H-22	1,600 Ton	\$	\$
R24. 7-05	Adjust Existing Storm Filter	1 Each	\$	\$
R25. 7-05	Adjust Existing Catch Basin, Furnish new Frame & Grate	11 Each	\$	\$
R26. 7-05	Adjust Existing Valve Chamber to Grade	34 Each	\$	\$
R27. 7-05	Adjust Existing Manhole Furnish New Frame & Lid	21 Each	\$	\$
R28. 7-08	Pothole Existing Utility	5 Each	\$	\$
R29. 7-20	Residential Storm Drain	5 Each	\$	\$
R30. 8-01	Erosion/Water Pollution Control	1 Force Account	Estimated	\$15,000
R31. 8-01	Stormwater Pollution Prevention Plan (SWPPP)	1 Lump Sum	Lump Sum	\$
R32. 8-01	NPDES Construction Stormwater General Permit	1 Lump Sum	Lump Sum	\$
R33. 8-01	Inlet Protection	44 Each	\$	\$
R34. 8-01	Street Cleaning	300 Hour	\$	\$
R35. 8-02	Landscape Restoration	1 Force Account	Estimated	\$50,000_
R36. 8-02	Plant Selection 'Styrax Japonicus'	64 Each	\$	\$

Page 3 of 17

ITEM NO.	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT <u>PRICE</u>	TOTAL <u>AMOUNT</u>
R37. 8-02	Plant Selection <i>'Tsuga Mertensen'</i>	63 Each.	\$	\$
R38. 8-02	Plant Selection 'Magnolia Grandiflora'	64 Each	\$	\$
R39. 8-02	Plant Selection 'Syringa Reticulata'	66 Each	\$	\$
R40. 8-02	Plant Selection 'Quercus Garryana'	55 Each	\$	\$
R41. 8-02	Seeding, Fertilizing & Mulching	5,885 Sq. Yard	\$	\$
R42. 8-02	Topsoil Type A	5,885 Sq. Yard	\$	\$
R43. 8-04	Cement Conc. Traffic Curb & Gutter	3,650 Lin. Ft.	\$	\$
R44. 8-04	Cement Conc. Pedestrian Curb	750 Lin. Feet	\$	\$
R45. 8-04	Cement Conc. Traffic Curb & Gutter	8,700 Lin. Feet	\$	\$
R46. 8-04	Type "D" Mountable Barrier Curb	350 Lin. Yd.	\$	\$
R47. 8-04	Pavement Separation Barrier Curb	550 Lin. Feet	\$	\$
R48. 8-06	Cement Conc. Driveway Entrance	3,500 Sq. Yard	\$	\$
R49. 8-12	Chain Link Fence	450 Lin. Ft.	\$	\$
R50. 8-12	Wood Fence	100 Lin. Ft.	\$	\$
R51. 8-13	Poured Monument	10 Each	\$	\$
R52. 8-14	Cement Conc. Sidewalk	3,350 Sq. Yard	\$	\$

Page 4 of 17

ITEM <u>NO.</u>	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT <u>PRICE</u>	TOTAL <u>AMOUNT</u>
R53. 8-04	Cement Conc. Curb Ramp	73 Each	\$	\$
R54. 8-18	Relocate Mailbox	1 Each	\$	\$
R55. 8-21	Permanent Signing	1 Lump Sum	Lump Sum	\$
R56. 8-22	Plastic Line	336 Lin. Ft.	\$	\$
R57. 8-22	Plastic Crosswalk	260 Lin. Ft.	\$	\$
R58. 8-40	Traffic Circle	4 Each	\$	\$

SCHEDULE B: STORM SEWER IMPROVEMENTS (Rule 171)

ITEM <u>NO.</u>	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT <u>PRICE</u>	TOTAL <u>AMOUNT</u>
S1 . 2-09	Structure Excavation Class B	1,800 Cu. Yd.	\$	\$
S2. 2-09	Shoring or Extra Excavation Class B	26,900 Sq. Ft.	\$	\$
S3. 2-16	Remove Catch Basin	24 Each	\$	\$
S4. 2-16	Remove Manhole	6 Each	\$	\$
S5 . 5-04	Temporary HMA CL 1/2" PG 58H-22, 2-Inch Minimum Depth, Installed & Removed	800 Sq. Yd.	\$	\$
S6 . 7-05	Catch Basin Type 2	1 Each	\$	\$
S7. 7-05	Catch Basin Type 1	35 Each	\$	\$
S8. 7-05	Manhole 48-In. Diam. Type 1	12 Each	\$	\$
S9. 7-05	Manhole 60 In. Diam. Type 3	1 Each	\$	\$
S10 7-05	Manhole 60-In. Diam. Type 1	2 Each	\$	\$
S11. 7-05	Manhole Additional Height 48 In. Diam. Type 1	3 Lin. Feet	\$	\$
S12. 7-05	Connect New 6- In. Sewer Pipe to Existing Structure	3 Each	\$	\$
S13. 7-05	Connect new 12-In. Sewer Pipe to Existing Structure	10 Each	\$	\$
S14. 7-05	Reconnect Existing 8-In. Sewer Pipe to new Structure	1 Each	\$	\$

Contractor's Name: Specification No. ES21-0004F

Addendum 1 Page 6 of 17

ITEM NO.	ITEM DESCRIPTION	ESTIMATED UNIT QUANTITY PRICE		TOTAL <u>AMOUNT</u>
S15. 7-05	Reconnect Existing 10-In. Sewer Pipe to New Structure	2 Each	\$	\$
S16. 7-05	Reconnect Existing 12-In. Sewer Pipe to New Structure	6 Each	\$	\$
S17. 7-05	Reconnect Existing 15-In. Sewer Pipe to New Structure	7 Each	\$	\$
S18. 7-05	Reconnect Existing 18-In. Sewer Pipe to New Structure	4 Each	\$	\$
S19. 7-05	Reconnect Existing 21-In. Sewer Pipe to New Structure	1 Each	\$	\$
S20. 7-05	Reconnect Existing 24-In. Sewer Pipe to New Structure	1 Each	\$	\$
S21. 7-05	C900 Storm Sewer Pipe 12 In. Diam.	24 Lin. Feet	\$	\$
S22. 7-08	Temporary Storm Sewer Bypass	1 Lump Sum	Lump Sum	\$
S23. 7-08	Temporary Storm Sewer Bypass Plan	1 Lump Sum	Lump Sum	\$
S24. 7-08	CDC for Pipe Abandonment	1 Cu. Yard	\$	\$
S25. 7-08	Plugging Existing Pipe	1 Each	\$	\$
S26. 7-17	Removal and Replacement of Unsuitable Material Incl. Haul	1,275 Cu. Yd.	\$	\$
S27. 7-17	PVC Storm Sewer Pipe 12 In. Diam.	1,385 Lin. Ft.	\$	\$
S28. 7-17	PVC Storm Sewer Pipe 4 In. Diam.	14 Lin. Ft.	\$	\$
S29. 7-17	Ductile Iron Storm Sewer Pipe 12-In. Diam.	651 Lin. Ft.	\$	\$

Page 7 of 17

SCHEDULE C: WASTEWATER SEWER IMPROVEMENTS (Rule 170)

ITEM <u>NO.</u>	ITEM DESCRIPTION	ESTIMATED UNIT QUANTITY PRICE		TOTAL <u>AMOUNT</u>	
WW1. 2-09	Structure Excavation Class B	7,550 Cu. Yd.	\$	\$	
WW2. 2-09	Shoring or Extra Excavation Class B	95,100 Sq. Ft.	\$	\$	
WW3. 2-16	Remove Manhole	14 Each	\$	\$	
WW4. 5-04	Temporary HMA CL 1/2" PG 58H-22, 2-Inch Minimum Depth, Installed & Removed	2350 Sq. Yd.	\$	\$	
WW5. 7-05	Manhole 48-In. Diam. Type 1	5 Each	\$	\$	
WW6. 7-05	Manhole 60 In. Diam Type 1	9 Each	\$	\$	
WW7. 7-05	Manhole 72 In. Diam. Type 1	1 Each	\$	\$	
WW8 7-05	Manhole Additional Height 60 In. Diam. Type 1	88 Lin. Ft.	\$	\$	
WW9. 7-05	Manhole Additional Height 48 In. Diam. Type 1	25 Lin. Ft.	\$	\$	
WW10. 7-05	Manhole Additional Height 72 In. Diam. Type 1	5 Lin. Ft.	\$	\$	
WW11. 7-05	Connect New 21 In. Sewer Pipe to Existing Structure	1 Each	\$	\$	
WW12. 7-05	Reconnect Existing Sewer Pipe 8- In. Diam. to New Structure	17 Each	\$	\$	
WW13. 7-08	Drop Manhole Connection, 8-In. Diam.	10 Each	\$	\$	
WW14. 7-08	Temporary Sanitary Sewer Bypass	1 Lump Sum	Lump Sum	\$	
WW15. 7-08	Temporary Sanitary Sewer Bypass Plan	1 Lump Sum	Lump Sum	\$	

Contractor's Name: Specification No. ES21-0004F

Addendum 1 Page 8 of 17

ITEM <u>NO.</u>	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT <u>PRICE</u>	TOTAL <u>AMOUNT</u>
WW16. 7-17	Removal & Replacement of unsuitable material incl. haul	6,800 Cu. Yd.	\$ \$	\$ \$
WW17. 7-17	Sewer Cleanout	30 Each	Ψ	Ψ
WW18. 7-17	PVC Sanitary Sewer Pipe 6-In. Diam.	750 Lin. Ft.	\$	\$
WW19. 7-17	PVC Storm Sewer Pipe 24-In. Diam.	1,384 Lin. Ft.	\$	\$
WW20. 7-17	PVC Storm Sewer Pipe 21-In. Diam.	860 Lin. Ft.	\$	\$
WW21. 8-22	PVC Sanitary Sewer Pipe 18-In. Diam.	58 Lin. Ft.	\$	\$
WW22. 8-22	PVC Sanitary Sewer Pipe 15-In. Diam.	238 Lin. Ft.	\$	\$
WW23. 8-22	PVC Sanitary Sewer Pipe 12-In. Diam.	78 Lin. Ft.	\$	\$
WW24. 8-22	PVC Sanitary Sewer Pipe 8-In. Diam.	8 Lin. Ft.	\$	\$

SCHEDULE D: WATER MAIN IMPROVEMENTS (Rule 170)

ITEM NO.	ITEM DESCRIPTION	ESTIMATED UNIT QUANTITY PRICE		TOTAL <u>AMOUNT</u>
W1. 1-09.7	Mobilization	1 Lump Sum Lump Sum		\$
W2. (1-10)	Project temporary traffic control	1 Lump Sum	Lump Sum	\$
W3. 2-02.3(3)	Removal/Disposal of existing asphalt,concrete sidewalk/curbing & concrete pavement. Includes all thickness & combinations	4,644 Sq. Yd.	\$	\$
W4. 5-04 & 9-03.8	Temporary HMA class ½" PG58H-22, 2-Inch minimum depth, installed & removed	4,644 Sq. Yd.	\$	\$
W5. 5-04 & 9-03.8	HMA CI ½" PG58H-22 pavement for permanent trench patch	146 Tons	\$	\$
W6. 9-03.9 (3) 7-09.5 & 9-03.9(3)	Crushed surfacing top course for trench backfill per 2018 WSDOT Standard Specs, shoulder restoration, & as directed by Inspector.	8,451 Ton	\$	\$
W7. 9-02.9(3) 7-09.5 & 9-03.9(3)	Crushed surfacing top course for street restoration per 2018 WSDOT Standard Specs, shoulder restoration, and as directed by the Inspector	10 Ton	\$	\$
W8. 7-09.3(9)	Gravel for pipe zone bedding of Polyethylene encased pipe	2,378 Ton	\$	\$
W9. 7-09.3(17)	8 mil. V-Bio enhanced polyethylene encasement installed on various sizes of ductile iron pipe & fittings	8,054 Ln. Ft.	\$	\$
W10. 7-04 7-09.5 7-17 & 7-18	Storm, sanitary, side sewer restoration	43 Each	\$	\$

Contractor's Name: Specification No. ES21-0004F

Addendum 1 Page 10 of 17

ITEM <u>NO.</u>	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT <u>PRICE</u>	TOTAL <u>AMOUNT</u>
W11. 7-09.3(7) & 7-09.5	Trench excavation & disposal	7,255 Cu. Yd.	\$	\$
W12. 7-09.3(7) & 7-09.5	Trench shoring	7,510 Lin. Ft.	\$	\$
W13. 7-09.3(15)A 7-09.5 & 9-03.1(1)	12-Inch ductile iron pipe, push-on joint, ANSI/AWWA, C151, Special class thickness No. 52, to furnish, lay and test	5,179 Lin. Ft.	\$	\$
W14. 7-09.3(15)A 7-09.5 & 9-30.1(1)	8-Inch ductile iron pipe, push-on joint, ANSI/AWAA, C151, special class thickness No. 52 to furnish, lay & test	2,281 Lin. Ft.	\$	\$
W15. 7-09.3(15)A 7-09.5 & 9-30.1(1)	6-Inch ductile iron pipe, push-on joint, ANSI/AWAA, C151, special class thickness No. 52 to furnish, lay & test	406 Lin. Ft.	\$	\$
W16. 9-30.2 & 9-06.5	30-Inch steel flange x plain end, 2-ft. long, installed. Does not include procuring actual water product which will be provided by contracting agency.	2 Each	\$	\$
W17. 9-30.2 & 9-06.5	30-Inch steel sleeve (Butt Straps) installed. Does not include procuring actual water product which will be provided by contracting agency.	2 Each	\$	\$
W18. 7-16	30-Inch flange isolation kit, installed. Does not include procuring actual water product which will be provided by contracting agency.	2 Each	\$	\$
W19. 9-30.2 & 9-06.5	30-Inch M.J. x flange adapter installed. Does not include procuring actual water product which will be provided by contracting agency.	2 Each	\$	\$

Page 11 of 17

ITEM NO.	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT <u>PRICE</u>	TOTAL <u>AMOUNT</u>
W20. 9-30.2(1)	12-Inch ductile iron tee, 3-B, M.J., installed	2 Each	\$	\$
W21. 9-30.2(1)	12-Inch x 6-Inch ductile iron tee, 3-B, M.J. installed	7 Each	\$	\$
W22. 9-30.2(1)	8-Inch x 6-Inch ductile iron tee, 3-B, M.J. installed	5 Each	\$	\$
W23. 7-05.9 & 9-30.2(1)	30-Inch x 16-Inch ductile iron reducer, PExPE, installed, including gaskets. Does not include procuring actual water product which will be provided by contracting agency	2 Each	\$	\$
W24. 7-05.9 & 9-30.2(1)	16-Inch x 12-Inch ductile iron reducer, LEB, installed, including gaskets. Does not include procuring actual water product which will be provided by contracting agency.	2 Each	\$	\$
W25. 7-05.9 & 9-30.2(1)	12-Inch x 6-Inch ductile iron reducer, 2-B, M.J., w/anchor, installed	5 Each	\$	\$
W26. 7-05.9 & 9-30.2(1)	8-Inch x 6-Inch ductile iron reducer, 2-B, M.J. w/anchor, installed	3 Each	\$	\$
W27. 9-30.2(1)	12-Inch ductile iron cross, 4-B, M.J., installed	3 Each	\$	\$
W28. 9-30.2(1)	12-Inch x 8-Inch ductile iron cross, 4-B, M.J., installed	3 Each	\$	\$
W29. 9-30.2(1)	12-Inch x 6-Inch ductile iron cross, 4-B, M.J., installed	1 Each	\$	\$
W30. 7-09 & 9-30.2(1)	12-Inch ductile iron Ell, M.J., 45°, installed	28 Each	\$	\$

Page 12 of 17

ITEM <u>NO.</u>	ITEM DESCRIPTION	ESTIMATED UNIT QUANTITY PRICE		TOTAL <u>AMOUNT</u>
W31. 7-09, 9-30.2(1)	12-Inch ductile iron ell, M.J., 22 ½°, installed	2 Each	\$	\$
W32. 7-09 & 9-30.2(1)	12-Inch ductile iron ell, M.J., 11 1/4°, installed	2 Each	\$	\$
W33. 7-09 & 9-30.2(1)	8-Inch ductile iron ell, M.J. 45°, installed	6 Each	\$	\$
W34. 7-09 & 9-30.2(1)	6-Inch ductile iron ell, M.J. 45°, installed	6 Each	\$	\$
W35. 7-09 & 9-30.2(1)	12-Inch ductile iron vertical ell, M.J, 11 ¼°, installed	2 Each	\$	\$
W36. 7-09 & 9-30.2(1)	6-Inch ductile iron vertical ell, M.J., 22 ½°, installed	2 Each	\$	\$
W37. 7-09.3(19)A 7-09.5 & 9-30.2(7)	12-Inch transition coupling with 7-Inch center ring, epoxy coating, and stainless-steel bolts, C.I. to D.I. installed	4 Each	\$	\$
W38. 7-09.3(19)A 7-09.5 & 9-30.2(7)	6-Inch transition coupling with 7-Inch center ring, epoxy coating, and stainless-steel bolts, C.I. to D.I. installed	13 Each	\$	\$
W39. 9-30.2(1) & 7-09.5	12-Inch ductile iron cap, M.J. tapped 4", installed and removed	12 Each	\$	\$
W40. 9-30.2(1) & 7-09.5	8-Inch ductile iron cap, M.J., tapped 2", installed and removed	3 Each	\$	\$

Page 13 of 17

ITEM <u>NO.</u>	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT <u>PRICE</u>	TOTAL <u>AMOUNT</u>
W41. 7-09.5 & 9-30.2(1)	6-Inch ductile iron cap M.J. taped 2", installed and removed	14 Each	\$	\$
W42. 7-09.5 & 9-30.2(1)	12-Inch ductile iron plug, M.J. installed and removed	2 Each	\$	\$
W43. 7-09.5 & 9-30.2(1)	8-Inch ductile iron plug, M.J. installed	1 Each	\$	\$
W44. 7-09.5 & 9-30.2(1)	6-Inch ductile iron plug, M.J. installed	2 Each	\$	\$
W45. 7-09.3(22) 7-09.5	Temporary 4-Inch blow-off assembly, installed and removed (Dwg. 17-56-1)	31 Each	\$	\$
W46. 9-30.2(6)	6-Inch Push on Joint Restraining Gasket, installed	3 Each	\$	\$
W47. 7-14 7-09.5 & 9-30.2(6)	30-Inch mechanical joint restraining glands	2 Each	\$	\$
W48. 7-14 7-09.5 & 9-30.2(6)	16-Inch mechanical joint restraining glands	2 Each	\$	\$
W49. 7-14 7-09.5 & 9-30.2(6)	12-Inch mechanical joint restraining glands	65 Each	\$	\$

Page 14 of 17

ITEM <u>NO.</u>	ITEM DESCRIPTION	ESTIMATED UNIT QUANTITY PRICE		TOTAL <u>AMOUNT</u>
W50. 7-14 7-09.5 & 9-30.2(6)	8-Inch mechanical joint restraining glands	15 Each	\$	\$
W51. 7-14 7-09.5 & 9-30.2(6)	6-Inch mechanical joint restraining glands	90 Each	\$	\$
W52. 7-09.3(21) 7-09.5	Concrete thrust anchor, installed	51 Each	\$	\$
W53. 7-09.3(21) 7-09.5	Temporary concrete thrust anchor, installed and removed	31 \$ Each		\$
W54.	Excavate, remove, and dispose of existing air vents, piping, and other appurtenances	1 Lump Sum	Lump Sum	\$
W55.	Excavate, remove, and dispose of existing valve chamber, piping, conduits, and other appurtenances	1 Lump Sum	Lump Sum	\$
W56. 2-02.3 & 7-09.3	Removal, cutting, loading and transport of abandoned 30-inch steel pipe, all thickness	2,400 Each	\$	\$
W57. 8-22	Parking Slip Markings	1 Lump Sum	Lump Sum	\$
W58. 7-09.3	Removal and disposal of abandoned CI pipe, all sizes	140 Lin. Ft.	\$	\$
W59. 7-09.3(11) 7-09.5	Trench compaction test (as direct by the Inspector)	255 Each	\$	\$
W60. 7-09.6(6) 7-09.5	Test holes (See special provisions)	1 Lump Sum	Lump Sum	\$

Page 15 of 17

ITEM <u>NO.</u>	ITEM DESCRIPTION	ESTIMATED QUANTITY	UNIT <u>PRICE</u>	TOTAL <u>AMOUNT</u>
W61. 7-12 9-30.3	12-Inch butterfly valve, M.J., ANSI/AWWA, C504, with C.I. valve box	27 Each	\$	\$
W62. 7-12 & 9.30.3	8-Inch gate valve, M.J., ANSI/AWWA, C509/515, with C.I. valve box	7 Each	\$	\$
W63. 7-12 & 9.30.3	6-Inch gate valve, M.J., ANSI/AWWA, C509/515, with C.I. valve box	13 Each	\$	\$
W64. 7-14 & 9-30.5(2)	6-Inch hydrant, M.J. 4.5-ft bury, with 4-inch Tacoma standard threads & 5-inch quick coupling	2 Each	\$	\$
W65. 7-14 & 9-30.5(2)	6-Inch hydrant, M.J. 5.5-ft bury, with 4-inch Tacoma standard threads & 5-inch quick coupling	1 Each	\$	\$
W66. 7-14 & 9-30.5(2)	6-Inch hydrant, M.J., 6.0-ft bury, with 4-inch Tacoma standard threads & 5-inch quick coupling	7 Each	\$	\$
W67. 8-01.3(8)	Street cleaning with self-propelled pickup and vacuum street sweeper equipment	94 Hour	\$	\$
W68. 1-09.6	Force Account	1 Force Account	Estimated	\$80,000

SCHEDULE A: ROADWAY IMPROVEMENTS (R) (Rule 171)		
Base Bid (Subtotal Items Nos. R1 – R58)	\$	(1)
ROADWAY IMPROVEMENTS TOTAL	\$	(2)
SCHEDULE B: STORM SEWER IMPROVEMENTS (S) (Rule 171)		
Base Bid (Subtotal Items Nos. S1- S29)	\$	(3)
STORM SEWER IMPROVEMENTS TOTAL	\$	(4)
SCHEDULE C: WASTEWATER SEWER IMPROVEMENTS (WW) (Ru	le 170)	
Base Bid (Subtotal Items Nos. WW1 - WW24)	\$	(5)
10.3% Sales Tax (Items Nos. WW1 – WW24)	\$	(6)
WASTEWATER SEWER IMPROVEMENTS TOTAL	\$	(7)
SCHEDULE D: WATER MAIN IMPROVEMENTS (W) (Rule 170)		
Base Bid (Subtotal Items Nos. W1-W69)	\$	(8)
10.3% Sales Tax (Items Nos. W1-W69)	\$	(9)
WATER MAIN IMPROVEMENTS TOTAL	\$	(10)
TOTAL BASE BID (1) + (3) + (5) + (8) \$ (not including sales tax) Rule 170		_
Contractor's Name: Specification No. ES21-0004F Addendum 1		

Page 17 of 17

CITY OF TACOMA Environmental Services/Science & Engineering Division

All submittals must be in ink or typewritten, executed by a duly authorized officer or representative of the bidding/proposing entity, and received and time stamped as directed in the **Request for Bids page near the beginning of the specification**. If the bidder/proposer is a subsidiary or doing business on behalf of another entity, so state, and provide the firm name under which business is hereby transacted.

REQUEST FOR BIDS SPECIFICATION NO. ES21-0004F MADISON DISTRICT GREEN INFRASTRUCTURE PROJECT

The undersigned bidder/proposer hereby agrees to execute the proposed contract and furnish all materials, labor, tools, equipment and all other facilities and services in accordance with these specifications.

The bidder/proposer agrees, by submitting a bid/proposal under these specifications, that in the event any litigation should arise concerning the submission of bids/proposals or the award of contract under this specification, Request for Bids, Request for Proposals or Request for Qualifications, the venue of such action or litigation shall be in the Superior Court of the State of Washington, in and for the County of Pierce.

Non-Collusion Declaration

The undersigned bidder/proposer hereby certifies under penalty of perjury that this bid/proposal is genuine and not a sham or collusive bid/proposal, or made in the interests or on behalf of any person or entity not herein named; and that said bidder/proposer has not directly or indirectly induced or solicited any contractor or supplier on the above work to put in a sham bid/proposal or any person or entity to refrain from submitting a bid/proposal; and that said bidder/proposer has not, in any manner, sought by collusion to secure to itself an advantage over any other contractor(s) or person(s).

_				Date
Printed	d Name an	nd Title		
(Area	Code) Tele	ephone Numbe	er / Fax Numb	er
			· -	Number
, (a.ooo a.	0 0 0 1 (0 1 1 1 1 0 0 0 0 0 0 0 0 0 0 0		
			nber	
	Printer (Area State in WA, a	Printed Name and (Area Code) Telescontracts for Printed Name and (Area Code) Telescontractor State Business Lin WA, also known as State Contractor	into Contracts for Bidder/Propo Printed Name and Title (Area Code) Telephone Number State Business License Number in WA, also known as UBI (Unified Business License)	(Area Code) Telephone Number / Fax Number State Business License Number in WA, also known as UBI (Unified Business Identifier) I State Contractor's License Number

THIS PAGE MUST BE SIGNED AND RETURNED WITH SUBMITTAL.

Form No. SPEC-080A Revised: 06/01/2021

amount is not less than 5-percent of the total bid.	ck in the amount of \$	which
5	SIGN HERE	
BI	D BOND	
KNOW ALL MEN BY THESE PRESENTS:		
That we,		, as Principal, and, as Surety, are held
and firmly bound unto the City of Tacoma, as Obliga	ee, in the penal sum of	
and the Surety bind themselves, their heirs, execute severally, by these presents.		
The condition of this obligation is such that if the Ob	oligee shall make any awar	d to the Principal for
according to the terms of the proposal or bid made and enter into a contract with the Obligee in accord shall give bond for faithful performance thereof, where Principal shall, in case of failure to do so, pay a specified in the call for bids, then this obligation shall force and effect and the Surety shall forthwith proposed the surety shall forthwith surety shall shall be surety shall shall shall be surety shall	dance with the terms of sail with Surety or Sureties append forfeit to the Obligee the all be null and void; otherwall	d proposal or bid and award and proved by the Obligee; or if the he penal amount of the deposit wise it shall be and remain in full
SIGNED, SEALED AND DATED THIS	DAY OF	, 20
PRINCIPAL:	SURETY:	
		, 20
Received return of deposit in the sum of \$		

Form No. SPEC-090A Revised: 08/2004



City of Tacoma

Certification of Compliance with Wage Payment Statutes

The bidder hereby certifies that, within the three-year period immediately preceding the bid solicitation date (June 21st, 2022), that the bidder is not a "willful" violator, as defined in RCW 49.48.082, of any provision of chapters 49.46, 49.48, or 49.52 RCW, as determined by a final and binding citation and notice of assessment issued by the Department of Labor and Industries or through a civil judgment entered by a court of limited or general jurisdiction.

I certify under penalty of perjury under the laws of the state of Washington that the

foregoing is true and correct. Bidder Signature of Authorized Official* **Printed Name** Title Date City State Check One: Individual □ Partnership □ Joint Venture □ Corporation □ State of Incorporation, or if not a corporation, the state where business entity was formed: If a co-partnership, give firm name under which business is transacted:

^{*} If a corporation, proposal must be executed in the corporate name by the president or vice-president (or any other corporate officer accompanied by evidence of authority to sign). If a co-partnership, proposal must be executed by a partner.

Specification No.	Addendum 1
Name of Bidder:	

21212	Responsibility ar	d Daainzaaa	I Did Drofore	naa lufarmatian
STATE	Reconcinity at	n Reciproca	I BIO PICICIO	nce information

Certificate of registration as a contractor	Number:			
(Must be in effect at the time of bid submittal):	Effective Date:			
	Expiration Date:			
Current Washington Unified Business Identifier (UBI) Number:	Number:			
Do you have industrial insurance (workers' compensation) Coverage nor your employees working in Washington?	☐ Yes ☐ No ☐ Not Applicable			
Washington Employment Security Department Number	Number:			
	□ Not Applicable			
Washington Department of Revenue state excise tax Registration number:	Number: Not Applicable			
Have you been disqualified from bidding any public works contracts under RCW 39.06.010 or 39.12.065(3)?	☐ Yes ☐ No If yes, provide an explanation of your disqualification on a separate page.			
Do you have a physical office located in the state of Washington?	□ Yes □ No			
If incorporated, in what state were you incorporated?	State: Not Incorporated			
If not incorporated, in what state was your business entity formed?	State:			
Have you completed the training required by RCW 39.04.350, or are you on the list of exempt businesses maintained by the Department of Labor and Industries?	□ Yes □ No			

Revised: 07/20/2007, 04/12/2012, 06/21/2019

List of Subcontractor Categories of Work

Project Name	
and/or plumbing, as de RCW must be listed be	re proposed to perform the work of heating, ventilation and air conditioning, scribed in Chapter 18.106 RCW, and electrical as described in Chapter 19.28 low. This information must be submitted with the bid proposal or within shed bid submittal time via email to bids@cityoftacoma.org.
installation must be list	re proposed to perform the work of structural steel installation and/or rebar ed below. This information must be submitted with the bid proposal or rs of the published bid submittal time via email to rg.
result in your bid being	actors or naming more than one subcontractor to perform the same work will non-responsive. Contractors self-performing must list themselves below. The is to be listed below the subcontractor(s) name.
Subcontractor Name Work to be Performed	

CERTIFICATION OF NONSEGREGATED FACILITIES

(Applicable to federally assisted construction contracts and related subcontracts exceeding \$10,000 which are not exempt from the Equal Opportunity clause.)

The federally assisted construction contractor certifies that he does not maintain or provide for his employees any segregated facilities at any of his establishments, and that he does not permit his employees to perform their services at any location, under his control, where segregated facilities are maintained. The federally assisted construction contractor certified, further that he will not maintain or provide for his employees any segregated facilities at any of his establishments, and that he will not permit his employees to perform their services at any location, under his control, where segregated facilities are maintained. The federally assisted construction contractor agrees that a breach of this certification is a violation of the Equal Opportunity clause in this contract.

As used in this certification, the term "segregated facilities" means any waiting rooms, work area, rest rooms and wash rooms, restaurants and other eating areas, time clocks, locker rooms and other storage or dressing areas, parking lots, drinking fountains, recreation or entertainment areas, transportation, and housing facilities provided for employees which are segregated by explicit directive or area, in fact, segregated on the basis of race, creed, color, or national origin, because of habit, local custom, or otherwise. The federally assisted construction contractor agrees that (except where he has obtained identical certifications from proposed contractors for specific time periods) he will obtain identical certifications from proposed subcontractors prior to the award of subcontracts exceeding \$10,000 which are not exempt from the provisions of the Equal Opportunity clause, and that he will retain such, certification in this file.

Signature	Date	
Name and title of signer (please type)		

[THIS FORM SHALL BE COMPLETED IN FULL AND SUBMITTED WITH THE BID PROPOSAL]



Prime Contractor Name Click here to enter text.

Disadvantaged Business Enterprise (DBE) Program DBE Subcontractor Utilization Form

This form is intended to capture the prime contractor's actual and/or anticipated use of identified certified DBE¹ subcontractors² and the estimated dollar amount of each subcontract. An EPA Financial Assistance Agreement Recipient must require its prime contractors to complete this form and include it in the bid or proposal package. Prime contractors should also maintain a copy of this form on file.

Project Name Click here to enter text.

		,			
Bid/ Proposal No. Click here to enter text.	Assistance Agreeme here to enter text.	nt ID No. (if known) Click	Point of Contact (text.	Point of Contact Click here to enter text.	
Address Click here to enter tex	t.				
Telephone No. Click here to en	ter text.	Email Address Click here	to enter text.		
Issuing/Funding Entity Depa	rtment of Ecology				
I have identified potential DB	E certified subcontrac	tors 🗆 YES 🗆 NO			
If yes, please complete the tab	ole below. If no, please	explain: Click here to enter	text.		
Subcontractor Name/ Comp Name	Company A	ddress/ Phone/ Email	Estimated Dollar Amount	Currently DBE Certified?	
Click here to enter text.	Click here to	enter text.	Click here to enter text.	Click here to enter text.	
Click here to enter text.	Click here to	enter text.	Click here to enter text.	Click here to enter text.	
Click here to enter text.	Click here to	enter text.	Click here to enter text.	Click here to enter text.	

Add more lines if needed

¹ A DBE is a Disadvantaged, Minority, or Woman Business Enterprise that has been certified by an entity from which EPA accepts certifications as described in 40 CFR 33.204-33.205 or certified by EPA. EPA accepts certifications from entities that meet or exceed EPA certification standards as described in 40 CFR 33.202.

² Subcontractor is defined as a company, firm, joint venture, or individual who enters into an agreement with a contractor to provide services pursuant to an EPA award of financial assistance.



Disadvantaged Business Enterprise (DBE) Program DBE Subcontractor Utilization Form

I certify under penalty of perjury that the forgoing statements are true and correct. Signing this form does not signify a commitment to utilize the subcontractors above. I am aware of that in the event of a replacement of a subcontractor, I will adhere to the replacement requirements set forth in 40 CFR Part 33 Section 33.302 (c).

Prime Contractor Signature	Print Name
Title	Date
Click here to enter text.	Click here to enter text.



Disadvantaged Business Enterprise (DBE) Program DBE Subcontractor Participation Form

An EPA Financial Assistance Agreement Recipient must require its prime contractors to provide this form to its DBE subcontractors. This form gives a DBE¹ subcontractor² the opportunity to describe work received and/or report any concerns regarding the EPA-funded project (e.g., in areas such as termination by prime contractor, late payments, etc.). The DBE subcontractor can, as an option, complete and submit this form to the EPA DBE Coordinator at any time during the project period of performance.

Subcontractor Name Click here to enter text.		Project Name Click here to enter text.		
		,		
Bid/ Proposal No. Click here to	Assistance Agreeme	ent ID No. (if known) Click	Point of Contact Click here to enter	
enter text.	here to enter text.		text.	
Citter text.	nere to enter text.		CCAC.	
Address Click here to enter text.				
Address click here to enter text	•			
_				
Telephone No. Click here to enter text.		Email Address Click here to enter text.		
1				
D. C M. oli I		T I I I I I I I I I I I I I I I I I I I		
Prime Contractor Name Click h	ere to enter text.	Issuing/Funding Entity D	epartment of Ecology	

Contract Item Number	Description of Work Received from the Prime Contractor Involving Construction, Services, Equipment, or Supplies	Amount Received by Prime Contractor
Click here to enter text.	Click here to enter text.	Click here to enter text.

¹ A DBE is a Disadvantaged, Minority, or Woman Business Enterprise that has been certified by an entity from which EPA accepts certifications as described in 40 CFR 33.204-33.205 or certified by EPA. EPA accepts certifications from entities that meet or exceed EPA certification standards as described in 40 CFR 33.202.

² Subcontractor is defined as a company, firm, joint venture, or individual who enters into an agreement with a contractor to provide services pursuant to an EPA award of financial assistance.



Disadvantaged Business Enterprise (DBE) Program DBE Subcontractor Participation Form

Please use the space below to report any concerns regarding the above EPA-funded project:

Click here to enter text.

Subcontractor Signature	Print Name
Title	Date
Click here to enter text.	Click here to enter text.

STATEMENT OF QUALIFICATIONS FOR POROUS HMA INSTALLATION

This form shall be completed in its entirety and submitted with the bid. Failure to submit and meet the requirements as stated in Part III-A Section 1-02.1 of the Special Provisions shall be grounds for rejection of the bid.

The City of Tacoma will be the sole judge in determining if the prospective contractor meets the minimum experience requirements.

The Contractor and the superintendent assigned to this project shall each have a minimum of 2 successfully completed projects that include installation of porous HMA. These projects shall be similar in scope to this proposed project. This requirement can be fulfilled by subcontractor completing the work.

Porous HMA Con	tractor:				
Name:					
Address:					
Phone:		Contact Pers	son:		
		ure which Contractontact information for		d within the la	ist 5 years.
Project Name	Amount	Owner/Agency	Contact	Phone	Year Completed
Superintendent:					
Name:					
		nature which Contr contact information			ne last 5 years
Project Name	Amount	Owner/Agency	Contact	Phone	Year Completed

Subcontractors Bidder List

All subcontractors who submitted a quote regardless of if they were chosen for the bid must be listed below.

Subcontractor Name with Point of Contact Mailing Address, Telephone Number, Email Addre Quoted Work to be Performed, Date Quoted	ess
DBE/MBE/WBE Status	
	
Subcontractor Name with Point of Contact	
Mailing Address, Telephone Number, Email Addre	ess
Quoted Work to be Performed, Date Quoted DBE/MBE/WBE Status	
Subcontractor Name with Point of Contact	
Mailing Address, Telephone Number, Email Addre	ess
Quoted Work to be Performed, Date Quoted	
DBE/MBE/WBE Status	
Subcontractor Name with Point of Contact	
Mailing Address, Telephone Number, Email Addre	ess
Quoted Work to be Performed, Date Quoted DBE/MBE/WBE Status	
	<u> </u>
Subcontractor Name with Point of Contact	
Mailing Address, Telephone Number, Email Addre	ess
Quoted Work to be Performed, Date Quoted DBE/MBE/WBE Status	
	_
Subcontractor Name with Point of Contact	
Mailing Address, Telephone Number, Email Addre	ess
Quoted Work to be Performed, Date Quoted DBE/MBE/WBE Status	
	_
Subcontractor Name with Point of Contact	
Mailing Address, Telephone Number, Email Addre	ess
Quoted Work to be Performed, Date Quoted	
DBE/MBE/WBE Status	

Subcontractor Name with Point of Contact Mailing Address, Telephone Number, Email Address Quoted Work to be Performed, Date Quoted DBE/MBE/WBE Status	
Subcontractor Name with Point of Contact Mailing Address, Telephone Number, Email Address Quoted Work to be Performed, Date Quoted DBE/MBE/WBE Status	
Subcontractor Name with Point of Contact Mailing Address, Telephone Number, Email Address Quoted Work to be Performed, Date Quoted DBE/MBE/WBE Status	
Subcontractor Name with Point of Contact Mailing Address, Telephone Number, Email Address Quoted Work to be Performed, Date Quoted DBE/MBE/WBE Status	
Subcontractor Name with Point of Contact Mailing Address, Telephone Number, Email Address Quoted Work to be Performed, Date Quoted DBE/MBE/WBE Status	
Subcontractor Name with Point of Contact Mailing Address, Telephone Number, Email Address Quoted Work to be Performed, Date Quoted DBE/MBE/WBE Status	
Subcontractor Name with Point of Contact Mailing Address, Telephone Number, Email Address Quoted Work to be Performed, Date Quoted DBE/MBE/WBE Status	
Subcontractor Name with Point of Contact Mailing Address, Telephone Number, Email Address Quoted Work to be Performed, Date Quoted DBE/MBE/WBE Status	