



# CITY OF TACOMA

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

## REQUEST FOR QUOTATION 6000049776

<b>Return Bids By 11:00 AM, 10/14/2020 to: <a href="mailto:sendbid@cityoftacoma.org">sendbid@cityoftacoma.org</a></b>
<p>Erica Pierce          ABN 4th Floor NE          3628 South 35th Street          Tacoma WA 98409          Ph. 253 502 8332          Fax.253 502 8372</p>
<b>Material will ship to:</b>
<p>Power Warehouse          3628 S 35th St (Rear)          Tacoma WA 98409</p>

<b>RFQ Information</b>	
Collective Bid #	TP20-0307N
Bid Issue Date	10/07/2020
Vendor Number	109226 WEB VENDOR FOR RFQ
<b>Vendor Information (vendor to complete)</b>	
<b>Firm Name:</b>	
<b>Address:</b>	
<b>City/State/Zip</b>	/ /
<b>Phone/Fax</b>	/
<b>E-Mail</b>	
<b>Contact Name</b>	
<b>Payment Terms</b>	%, days (e.g. 2% 10,N30)
<b>Tacoma Bus. Lic. #</b>	
<b>Taxpayer ID #</b>	
<b>SIGNATURE OF PERSON AUTHORIZED TO SIGN THIS BID</b>	
x _____	DATE: ___ / ___ / _____
<b>NAME :</b> _____	
<b>TITLE :</b> _____	

Item #	Material# Description	Delivery Date	QTY	UM	Net Price	Total
	<p>The City of Tacoma is soliciting bids for purchase of Electrical Supplies (Stock).</p> <p>Submittals may be e-mailed to <a href="mailto:sendbid@cityoftacoma.org">sendbid@cityoftacoma.org</a> for this solicitation.</p> <p>Please include the Collective Bid Number, TP20-0307N, in the subject line of your e-mail.</p> <p>Bids are subject to the submittal deadline noted in the bid solicitation document. The time of e-mail receipt will be considered as the time of submittal. The City accepts no responsibility for transmission errors.</p> <p>We are unable to verify receipt of submittals due to the large volume of submittals received.</p> <p>Extend net price and provide net total value. All bid pricing shall be FOB Destination, freight prepaid and included in the unit price.</p> <p>Materials must be new and unused. No substitutes are allowed. Substitute items will be returned at vendor's expense.</p>					



**CITY OF TACOMA**

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

**REQUEST FOR QUOTATION**  
**6000049776**

Item #	Material# Description	Delivery Date	QTY	UM	Net Price	Total
	<p>Delivery date will default to two weeks ARO if vendor fails to provide.</p> <p>Please Circle or underline the part number and manufacturer quoted or bid may be considered non-responsive.</p> <p>If applicable, you must select from the approved manufacturer(s) listed. Substitutions will not be approved at the time of the bid awarding. If you have a material that you would like to have added, it must be submitted for review and approved by the City of Tacoma's Material Committee before the bid issue date listed on this request for quotation. For more information regarding this process, please contact: Erica Pierce, epierce@cityoftacoma.org</p> <p>Responses MUST BE SUBMITTED on the provided City of Tacoma bid solicitation form. Vendor signature is MANDATORY.</p> <p>Bid results will be posted at:  <a href="http://www.cityoftacoma.org/government/city_departments/finance/procurement_and_payables_division/purchasing/bid_results/">http://www.cityoftacoma.org/government/city_departments/finance/procurement_and_payables_division/purchasing/bid_results/</a></p> <p>Note: You must register at this website as a bid holder for each solicitation of interest in order to receive notification regarding amendments or other updates to the original bid solicitation documents.</p> <p>City Contact: Erica Pierce, epierce@cityoftacoma.org</p>					



# CITY OF TACOMA

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

## REQUEST FOR QUOTATION 6000049776

Item #	Material# Description	Delivery Date	QTY	UM	Net Price	Total
10	<b>18955</b>  <b>ARRESTER,SURGE,10KV,W/O BRACKET</b> ARRESTER, SURGE, 10KV, MOV, DISTRIBUTION CLASS, MCOV 8.4 KV, SILICONE RUBBER HOUSING WITH MIN. 13IN CREEPAGE DISTANCE, MAXIMUM DISCHARGE VOLTAGE AT 10KA IS 31.6KV, SHALL BE EFFECTIVE FOR 12.47KV FOUR-WIRE WYE MULTI-GROUNDED NEUTRAL SYSTEMS AND 13.8KV THREE-WIRE WYE SOLIDLY GROUNDED NEUTRAL SYSTEMS, GROUND TERMINAL SHALL HAVE BLACK DISCONNECTING ISOLATOR, LINE TERMINAL AND GROUND TERMINAL STUDS SHALL BE 3/8 IN. STAINLESS STEEL WITH STAINLESS STEEL OR SILICON BRONZE NUT, SHALL MEET OR EXCEED REQUIREMENTS OF IEEE STD C62.11, LATEST REVISION.  Material #      Manf Part#    Manufacturer Name 10010636        213709-5301   HUBBELL 10010435        URT10050B1D0A1A   EATON		30	EA		
20	<b>19017</b>  <b>TERMINAL BLOCK,12 POS,9-1/8IN LENGTH</b> TERMINAL BLOCK, 12 CIRCUIT, HEAVY DUTY, 600 VOLT, 75 AMP, PHENOLIC BASE RATED 150 DEG C, WITH MARKING STRIPS. SCREWS TO HAVE SERRATED WASHER HEADS.  Material #      Manf Part#    Manufacturer Name 19017            1612STD      MARATHON		60	EA		
30	<b>22097</b>  <b>LINKIT,#4STR - #4 STR</b> CONNECTOR, WIRE, LINKIT, NO 4 STR ACSR/NO.2 SOL AA, TO NO 4 STR/NO 2 SOL COPPER. END CAP MUST BE A TIGHT FITTING COLOR CODED PLUG OR THE COLOR CODING MUST BE IMPRINTED ON THE LINKIT BODY. ***** NOT ACCEPTABLE: BLACKBURN *****  Material #      Manf Part#    Manufacturer Name 22097            YSU2W2W      BURNDY		300	EA		



# CITY OF TACOMA

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

## REQUEST FOR QUOTATION 6000049776

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
40	34522	<p><b>BOLT,1/2IN X 6IN,MCHN,GALV,W/NUT</b>            BOLT, MACHINE, GALVANIZED, 1/2IN X 6IN, SQUARE HEAD AND NUT</p> <p>Material #      Manf Part#      Manufacturer Name            10001611      8706      CHANCE            10001609      J8706      MACLEAN            10010391      DF2B6      COOPER INDUSTRIES            10010503      AF8706      ALUMA FORM</p>		300	EA		
50	35012	<p><b>STRAP,6IN,CONDUIT,2-PIECE,GALV</b>            STRAP, CONDUIT, HOT DIP GALVANIZED, 6IN RIGID, 2 PIECE, WITH HEXHEAD BOLT AND NUT. TO FIT 1-5/8IN "UNISTRUT" TYPE CHANNEL. STRAP MUST BE HOT DIPPED GALVANIZED TO ASTM STANDARD A-386/A1-53 AFTER FABRICATION. ELECTRO-GALVANIZING WILL NOT BE ACCEPTED.</p> <p>Material #      Manf Part#      Manufacturer Name            10002944      B2020HDG      B-LINE            10002943      600-HDG      MORFAB            10002942      P1124HG      UNISTRUT            10002941      702-6 HDG      SUPERSTRUT            10007445      PS1100-6 HDG      POWERSTRUT</p>		10	EA		
60	78532	<p><b>RACK,STANDARD,45U,PANEL AND SWITCH</b>            STANDARD RACK 45U FOR MOUNTING TELECOMMUNICATIONS EQUIPMENT. 19.75 INCHES WIDE BY 15 INCHES DEEP AND 84 INCHES TALL. HIGH STRENGTH ALUMINUM CONSTRUCTION. 1000 POUND WEIGHT CAPACITY. INTERGRATED GROUNDING STUDS. UL LISTED.</p> <p>Material #      Manf Part#      Manufacturer Name            10011752      55053-503      CHATSWORTH PRODUCTS</p>		9	EA		
70	78533	<p><b>RACK,VERTICAL,DOUBLE SIDED,CABLING</b>            DOUBLE SIDED NARROW VERTICAL CABLING RACK, BOLTS TO CPI STANDARD RACK. 3.65 INCHES WIDE BY 12.75 INCHES DEEP AND 84 INCHES TALL. MOUNTING HARDWARE INCLUDED.</p>		9	EA		



# CITY OF TACOMA

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

## REQUEST FOR QUOTATION 6000049776

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
	Material #	Manf Part#	Manufacturer Name				
	10011753	12096-503	CHATSWORTH PRODUCTS				
80	22266	<b>WIRE,#10,BLACK,STR,CU,THHN</b> WIRE, #10, BLACK INSULATION, 1-C, STRANDED, COPPER, THHN, THWN, 600 VOLT, 500FT PACKAGING		1,000	FT		
90	34501	<b>BALLOON,3IN - 4IN,CONDUIT</b> BALLOON, CONDUIT, FISH LINE CARRIER, 3IN TO 4IN		2	EA		
	Material #	Manf Part#	Manufacturer Name				
	10011761	58330-300	DCD DESIGN				
100	34722	<b>FUSE,50E SLOW 14.4 KV NOMINAL,SMU20</b> FUSE, TYPE SMU20, 50E, 14.4 KV NOMINAL, 17 KV MAX, SPEED SLOW, TCC-119-1 TO FIT S&C MOUNTING 92122-G.		5	EA		
	Material #	Manf Part#	Manufacturer Name				
	10002136	DBU17-50SE	CUTLER HAMMER				
	10002135	712050	S & C ELECTRIC				
	10008089	CMU712050	COOPER INDUSTRIES				
110	34836	<b>MOLDING,1/2IN X 1/2IN X 8FT,GRD WIRE,PVC</b> MOLDING, GROUND WIRE, 1/2IN X 1/2IN X 8FT LONG, TYPE 2 PVC		375	EA		
	Material #	Manf Part#	Manufacturer Name				
	10002426	604	RADAR ENGINEERS				
	10002425	96-KG-1/2	CHANCE				
	10007887	GWM-7100	PREFORMED LINE PRODUCTS				
	10006580	PEGM1/2GR	ELECTRICAL MATERIALS				
	10006040	7001301100	FILTORNA				
120	46189	<b>RELAY,48 VDC,LOCKOUT,5 DECKS,2 LEDS</b> RELAY, LOCKOUT, SERIES 24, MANUAL RESET, 48 VDC, 5 DECKS, 2 LEDS (BLUE AND WHITE). *** NO SUBSTITUTE ***		1	EA		
	Material #	Manf Part#	Manufacturer Name				
	46189	78PB05C-007	ELECTROSWITCH				



# CITY OF TACOMA

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

## REQUEST FOR QUOTATION 6000049776

Item #	Material# Description	Delivery Date	QTY	UM	Net Price	Total
130	<b>49618</b> <b>BALLOON,5IN - 6IN,CONDUIT</b> BALLOON, CONDUIT, FISH LINE CARRIER, 5IN TO 6IN Material #      Manf Part#      Manufacturer Name 10011763      58330-500      DCD DESIGN		2	EA		
140	<b>20979</b> <b>SWITCH,23KV 1200AMP,DISC,HO</b> SWITCH, DISCONNECT, HOOK OPERATED, 23KV INSULATORS, 1200 A, SINGLE POLE, VERTICAL MOUNTING, 150KV BIL, 30 DEGREE MAXIMUM TEMPERATURE RISE, WITH FLANGED BASE.# Material #      Manf Part#      Manufacturer Name 20979      13008TSTD      ROYAL		9	EA		
150	<b>22286</b> <b>WIRE,#4 CU SOL,W/PRF,DEAD SD</b> WIRE, COPPER, #4, 1 CONDUCTOR, SOLID, WEATHERPROOF, DEAD SOFT DRAWN, 1/32IN (.03125) POLY INSULATION. PACKAGED AS ONE CONTINUOUS LENGTH OF 150 FEET ON A NON-RETURNABLE HANDI-PAK PLASTIC SPOOL, DIMENSIONS 11 INCH X 4 INCH WITH A 2IN ARBOR HOLE. WIRE MUST BE DEAD SOFT DRAWN. MUST HAVE A MINIMUM OF 35% ELONGATION IN 10 INCHES Material #      Manf Part#      Manufacturer Name 22286      4BCSDS-POLY      NEHRING		1,200	FT		
160	<b>34567</b> <b>BRACKET,EXTENSION,SECONDARY,POLE MOUNT</b> BRACKET, EXTENSION, SECONDARY, GALVANIZED, TO BE USED FOR EXTENDING SECONDARY RACK FROM POLE WHERE REQUIRED; 5/16IN THICK, 6IN LONG, 3IN WIDE, 4IN HIGH. ***MUST BE PACKED 25 OR LESS PER CARTON*** Material #      Manf Part#      Manufacturer Name 10001729      WALLFM3      WILCOR 10001728      U-516-3      MORFAB		500	EA		



# CITY OF TACOMA

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

## REQUEST FOR QUOTATION 6000049776

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
170	35179	<p><b>CLAMP,GUY,3-BOLT,STRAIGHT</b>            CLAMP, 3-BOLT, STRAIGHT, USED FOR HEAVY CABLES AND LONG SPANS. FURNISHED WITH TWO 1/2IN HIGH CARBON STEEL TRACK BOLTS AND A CENTER HOLE FOR MOUNTING WITH A 5/8IN BOLT.</p> <p>Material #      Manf Part#      Manufacturer Name            10003347      J1096      MACLEAN            10007886      7903      CHANCE            10011647      U1096      GRID POWER PRODUCTS</p>		100	EA		
180	22060	<p><b>ELBOW,LOADBREAK,GROUNDING</b>            GROUNDING, ELBOW, LOADBREAK, FOR GROUNDING UNDERGROUND CABLES AND EQUIPMENT USING THE LOAD BREAK BUSHING, ELBOW COMES ASSEMBLED WITH 600V INSULATED GROUND LEAD AND PROBE.</p> <p>Material #      Manf Part#      Manufacturer Name            22060      160GLR      ELASTIMOLD</p>		6	EA		
190	34612	<p><b>CLAMP, 556ACSR-795AAC, LINE POST, AL</b>            CLAMP, LINE POST, FOR HORIZONTAL OR VERTICAL INSULATORS, 1.0 TO 1.50 CONDUCTOR WITH OR WITHOUT LINE GUARD O.D. RANGE, ALUMINUM</p> <p>Material #      Manf Part#      Manufacturer Name            10001861      47114      LAPP            10001860      ACTS-150      MACLEAN</p>		25	EA		
200	22291	<p><b>WIRE,#2 CU STR,BARE,SD</b>            WIRE, COPPER, NO. 2, 1C, SOFT DRAWN, BARE, STRANDED, 500LB PER NON-RETURNABLE REEL, MANUFACTURED PER NEMA WC 26-1990 FOR A CLASS 2 REEL, TABLE 1-5A, WITH A MINIMUM REEL CAPACITY OF 525LBS.            *** NO PLYWOOD REELS - TARE WEIGHT MUST BE CLEARLY AND PERMANENTLY MARKED ON EACH REEL            ***</p>		1,000	LB		



# CITY OF TACOMA

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

## REQUEST FOR QUOTATION 6000049776

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
210	34485	<p><b>ARRESTER,SURGE,10KV,W/BRACKET</b>            ARRESTER, SURGE, 10KV, MOV, DISTRIBUTION CLASS, MCOV 8.4 KV, SILICONE RUBBER HOUSING WITH MIN. 13IN CREEPAGE DISTANCE, MAXIMUM DISCHARGE VOLTAGE AT 10KA IS 31.6KV, SHALL BE EFFECTIVE FOR 12.47KV FOUR-WIRE WYE MULTI-GROUNDED NEUTRAL SYSTEMS AND 13.8KV THREE-WIRE WYE SOLIDLY GROUNDED NEUTRAL SYSTEMS, GROUND TERMINAL SHALL HAVE BLACK DISCONNECTING ISOLATOR, INSULATED HANGER BRACKET, NEMA CROSSARM BRACKET, LINE TERMINAL AND GROUND TERMINAL STUDS SHALL BE 3/8 IN. STAINLESS STEEL WITH STAINLESS STEEL OR SILICON BRONZE NUT, SHALL MEET OR EXCEED REQUIREMENTS OF IEEE STD C62.11, LATEST REVISION.</p> <p>Material #      Manf Part#      Manufacturer Name            10010434      URT10050B1D1B1A      EATON            10011330      ARP-T-10B-1GB-6XX-6X      ALUMA FORM</p>		50	EA		
220	35227	<p><b>CLAMP,#8-2/0 STR TAP &amp; RUN,GRND,DUCKBILL</b>            CLAMP, GROUNDING, HOT LINE TAP, BRONZE, 2/0 STRANDED TO NO 8 SOLID CPR RUN, 2/0 STR TO NO 8 SOLID CPR TAP            ++++++            NOT ACCEPTABLE: ABC -T600-0465            ++++++</p> <p>Material #      Manf Part#      Manufacturer Name            10003457      C1520      MACLEAN            10003456      BHLC-100      RICHARDS MANUFACTURING            10003455      BC-2/0, DUCK BILL      ANDERSON            10010794      AFBC20      ALUMA FORM</p>		400	EA		
230	70460	<p><b>NUT,#18-8,WIRE,TAN/RED,FLEXIBLE SKIRT</b>            NUT,WIRE, TAN/RED, WIRE RANGE #18-#8, PACKAGED IN QTY OF 100.</p> <p>Material #      Manf Part#      Manufacturer Name            70460      T/R 051128-54454      3M</p>		200	EA		



# CITY OF TACOMA

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

## REQUEST FOR QUOTATION 6000049776

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
240	35009	<p><b>STRAP,2-1/2IN,CONDUIT,2-PIECE,GALV</b>            STRAP, CONDUIT, HOT DIP GALVANIZED, 2-1/2IN RIGID, 2 PIECE, WITH HEXHEAD BOLT AND NUT. TO FIT 1-5/8IN "UNISTRUT" TYPE CHANNEL. STRAP MUST BE HOT DIPPED GALVANIZED TO ASTM STANDARD A-386/A1-53 AFTER FABRICATION. ELECTRO-GALVANIZING WILL NOT BE ACCEPTED.</p> <p>Material #      Manf Part#      Manufacturer Name            10002926      B2014HDG      B-LINE            10002930      PS1100 2-1/2HDG      POWERSTRUT            10002929      702-2-1/2 HDG      SUPERSTRUT            10002928      P1118HG      UNISTRUT            10002927      250-HDG      MORFAB</p>		400	EA		
250	34533	<p><b>BOLT,5/8IN X 28IN,SPACE,DA,GALV,W/4 NUTS</b>            BOLT, SPACE, DOUBLE ARM GALVANIZED, 5/8IN X 28IN LONG, FULL THREAD, WITH 4 SQUARE GALVANIZED NUTS</p> <p>Material #      Manf Part#      Manufacturer Name            10001644      DF2D28      COOPER INDUSTRIES            10001643      J8877      MACLEAN            10009170      5/8-28      PORTLAND BOLT            10009169      K1378      KORTICK            10010469      AF8877      ALUMA FORM            10004659      8877      CHANCE            10011674      U8877      GRID POWER PRODUCTS</p>		40	EA		
260	34538	<p><b>BOLT,3/4IN X 30IN,SPACE,DA,GALV,W/4 NUTS</b>            BOLT, SPACE, DOUBLE ARM, GALVANIZED, 3/4IN X 30IN FULL THREAD, WITH 4 SQUARE GALVANIZED NUTS</p> <p>Material #      Manf Part#      Manufacturer Name            10001656      J8898      MACLEAN            10001654      DF3D30      COOPER INDUSTRIES            10009145      3/4-30      PORTLAND BOLT            10009144      K1400-30      KORTICK            10010585      8898      HUBBELL            10010461      AF8898      ALUMA FORM            10011678      U8898      GRID POWER PRODUCTS</p>		30	EA		



# CITY OF TACOMA

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

## REQUEST FOR QUOTATION 6000049776

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
270	66118	<b>BALLAST,F32T8,3 LAMP</b> BALLAST,F32T8,3 LAMP Material #      Manf Part#      Manufacturer Name 66118              B332IUNVHP-A      UNIVERSAL LIGHTING TECHNOLOGIES		2	EA		
280	76826	<b>PANEL,DC VOLTAGE,100AMP,FUSE,DUAL FEED</b> PANEL, DC VOLTAGE, 100 AMP, 10/10 GMT FUSE PANEL. DUAL FEED. Material #      Manf Part#      Manufacturer Name 76826              HPGMT10      TELECT INC		2	EA		
290	20259	<b>MOUNT,7/8IN X 5/8IN,CABLE TIE,SCREW MNT</b> CABLE TIE MOUNT, NYLON, #10 SCREW MOUNT, 7/8IN X 5/8IN, NATURAL, 2 WAY. PACKAGED 100 PER BAG Material #      Manf Part#      Manufacturer Name 20259              TM3S10-C      PANDUIT		500	EA		
300	19236	<b>CLAMP,2-1/2IN,CONDUIT,GALV WIRE</b> CLAMP, CONDUIT, WIRE, GALVANIZED,(CINCH CLAMP), 2.5IN FOR 1-5/8IN STRUT-TYPE CHANNEL Material #      Manf Part#      Manufacturer Name 19236              CIN P200- 2-1/2"      ORIGINAL CINCH CLAMP CO		50	EA		
310	22090	<b>TERMINAL RING,#12 - #10,#10 STUD,YELLOW</b> CONNECTOR, WIRE, RING TONGUE (EYE), NO 12 TO NO 10, NO 10 STUD, COMPRESSION TYPE, NYLON INSULATED TERMINAL, YELLOW PACKED 50 OR 100 PER BOX * * NO SUBSTITUTE * * Material #      Manf Part#      Manufacturer Name 10006480              YAE-10-N BOX      BURNDY 10006481              25275M01      LAWSON		200	EA		



# CITY OF TACOMA

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

## REQUEST FOR QUOTATION 6000049776

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
320	22180	<p><b>CRIMPIT,556-4/0 &amp; 4/0-1/0,H-TYPE</b>  CONNECTOR, CRIMPIT, H TYPE, GROOVE A - 556 MCM TO 4/0, GROOVE B - 4/0 TO 1/0.  *** NO SUBSTITUTE ***</p> <p>Material #      Manf Part#      Manufacturer Name  22180              NB50040      HOMAC</p>		60	EA		
330	19968	<p><b>GUARD,8FT,GUY,YELLOW PVC</b>  GUARD, GUY, PLASTIC, 8 FT, YELLOW, PVC  *****  <u>NOT ACCEPTABLE: ELECTRICAL MATERIALS #70-7Y</u>  *****</p> <p>Material #      Manf Part#      Manufacturer Name  10005545      TG-125-1BE-8Y      VIRGINIA PLASTIC  10005544      PG-5518      PREFORMED LINE PRODUCTS</p>		200	EA		
340	59011	<p><b>CONNECTOR,2-1/2IN,CONDUIT,LIQUID TIGHT</b>  CONNECTOR, STRAIGHT, 2-1/2IN, FOR LIQUID-TIGHT FLEX CONDUIT.</p> <p>Material #      Manf Part#      Manufacturer Name  59011              ST-250      APPLETON</p>		5	EA		
350	34614	<p><b>CLAMP,336 - 795KCM,HOT LINE,W/ 2/0 BAIL</b>  CLAMP, STIRRUP, HOT LINE TAP, RANGE 336.4 - 795 KCM, ALUMINUM ALLOY AND 2/0 HARD DRAWN COPPER BAIL, WITH EYE BOLTS FOR APPLICATION BY HOT STICK, AND INHIBITOR FILLED CONDUCTOR GROOVE. DESIGNED TO SNAP ON TO THE CONDUCTOR.</p> <p>Material #      Manf Part#      Manufacturer Name  10001866      GH 286 AL      FARGO</p>		100	EA		



# CITY OF TACOMA

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

## REQUEST FOR QUOTATION 6000049776

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
360	35010	<p><b>STRAP,4IN,CONDUIT,2-PIECE,GALV</b>            STRAP, CONDUIT, 4 INCH RIGID, 2 PIECE, WITH HEXHEAD BOLT AND NUT. TO FIT 1-5/8IN "UNISTRUT" TYPE CHANNEL. STRAP MUST BE HOT DIPPED GALVANIZED TO ASTM STANDARD A-386/A1-53 AFTER FABRICATION. ** ELECTRO-GALVANIZING WILL NOT BE ACCEPTED **</p> <p>Material #      Manf Part#      Manufacturer Name            10002935      B2017HDG      B-LINE            10002934      PS1100 4HDG      POWERSTRUT            10002933      P1121HG      UNISTRUT            10002932      702-4 HDG      SUPERSTRUT            10002931      400-HDG      MORFAB</p>		100	EA		
370	20004	<p><b>CUTOUT,200A SMD-20 FUSEHOLDER,15KV</b>            CUTOUT, 200A SMD-20 POWER FUSE HOLDER, 14.4 KV NOMINAL, 17 KV MAX, COMPOSITE-POLYMER SILICONE INSULATOR, MIN 150 KV BIL, MIN 22,400A ASYMMETRICAL INTERRUPTING RATING, MIN 17 INCHES LEAKAGE DISTANCE, #6 SOLID THROUGH 250 KCMIL STRANDED TINNED PARALLEL GROOVE CONNECTORS ON UPPER AND LOWER CONTACT ASSEMBLIES, USE WITH SMU-20 FUSE UNITS (NOT INCLUDED), LOAD BUSTER HOOKS ON UPPER ASSEMBLY, NEMA TYPE B MOUNTING BRACKET INCLUDED, MEETS OR EXCEEDS ANSI/IEEE STDS C37.40, C37.41, C37.42</p> <p>Material #      Manf Part#      Manufacturer Name            20004      92142R3-P-D      S &amp; C ELECTRIC</p>		8	EA		
380	64830	<p><b>WIRE,#10 CU STR,SIS,600V,GREEN</b>            WIRE, COPPER, AWG 10, 1C, TYPE UL LISTED SIS SWITCHBOARD RATED VW-1, GREEN 104 OR 105 TINNED CLASS K STRAND, CROSS-LINKED POLYETHYLENE (XLP) 600 VOLT INSULATION, 90 DEGREE C WET OR DRY PER UL STANDARD 44, LABELING MUST INCLUDE UL LISTING, SUPPLIED ON 500 FOOT NON-RETURNABLE SPOOLS.</p>		500	FT		



# CITY OF TACOMA

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

## REQUEST FOR QUOTATION 6000049776

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
390	19201	<p><b>CAP,.63IN - 1.18IN,END,CABLE,COLD SHRINK</b>            CAP, CABLE END, COLD SHRINK, .63IN TO 1.18IN URD CABLE RANGE.</p> <p>Material #      Manf Part#      Manufacturer Name            19201            EC-2                3M</p>		200	EA		
400	19352	<p><b>CONDUIT,2-1/2IN X 10FT,RIGID,GALV</b>            CONDUIT, RIGID, HOT DIPPED GALVANIZED, 2-1/2IN X 10FT LENGTH, WITH ONE COUPLING PER LENGTH#</p>		50	FT		
410	34884	<p><b>PIN,INSULATOR,SHORT SHANK,1IN LEAD COB</b>            PIN, INSULATOR, STEEL, 7-1/2IN LONG WITH 6IN HEIGHT ABOVE CROSSARM AND 5/8IN DIAMETER SHANK. MADE WITH 1IN DIAMETER LEAD THREAD. FURNISHED WITH LOCK WASHER AND SQUARE NUT. HOT DIP GALVANIZED.</p> <p>Material #      Manf Part#      Manufacturer Name            10002573        PS887            CHANCE            10011646        U222Z            GRID POWER PRODUCTS</p>		25	EA		
420	72307	<p><b>LAMP,LED,9W,MED BASE, FOR WET LOCATIONS</b>            LED LAMP, 9W, 850 LUMENS, 4100K. MEDIUM BASE. SUITABLE FOR WET LOCATIONS.</p> <p>Material #      Manf Part#      Manufacturer Name            72307            L9A19D2541K    TCP</p>		36	EA		
430	72973	<p><b>BOLT,NYLON,VICE TOP</b>            BOLT, NYLON. 6-1/2IN W/EYE. FOR VICE-TOP INSULATOR.</p> <p>Material #      Manf Part#      Manufacturer Name            72973            B-1                HENDRIX MOLDED PRODUCTS</p>		50	EA		
440	21077	<p><b>BRACKET,.80IN-1.25IN,TERMINATION MNT</b>            TERMINATION MOUNTING BRACKET, .80IN - 1.25IN CABLE TO O.D. RANGE, USE CABLE O.D. NOT INSULATION O.D. TO DETERMINE PROPER SIZING.</p>		4	EA		



# CITY OF TACOMA

**THIS IS NOT AN ORDER**  
**All prices quoted shall be F.O.B.**  
**Destination, Freight Prepaid and Allowed**

All responses & inquiries must be plainly marked with this

## REQUEST FOR QUOTATION 6000049776

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
	Material #	Manf Part#	Manufacturer Name				
	21077	MB-3 14754	3M				
450	21078	<b>BRACKET,1.10IN -1.50IN,TERMINATION MNT</b> TERMINATION MOUNTING BRACKET, 1.10IN - 1.50IN CABLE TO O.D. RANGE, USE CABLE O.D., NOT INSULATION O.D. TO DETERMINE PROPER SIZING.		3	EA		
	Material #	Manf Part#	Manufacturer Name				
	21078	MB-4 14755	3M				
460	21098	<b>TIE,3/16IN TO 9IN,CABLE,XL</b> TIE, CABLE, NYLON BLACK, BUNDLING RANGE 3/16IN TO 9IN, TENSILE STRENGTH 120 LBS, WIDTH .301, LENGTH 30IN, STAINLESS STEEL METAL LOCKING TAB REQUIRED. PKG. 50 PER BUNDLE.		1,000	EA		
	Material #	Manf Part#	Manufacturer Name				
	10005642	BT9LH-L0	PANDUIT				
	10005640	TY-529MX	THOMAS & BETTS				
470	22082	<b>TERMINAL LUG,#12- #10,#10 STUD,YELLOW</b>  CONNECTOR, WIRE, LUG, NO 12 TO NO 10 WIRE, TO NO 10 STUD, COMPRESSION TYPE, NYLON INSULATED TERMINAL, YELLOW. PACKED 50 PER BOX. *** NO SUBSTITUTE ***		2,000	EA		
	Material #	Manf Part#	Manufacturer Name				
	22082	YAEV-10 BOX	BURNDY				
480	22004	<b>CLAMP,#6 SOL-1/0STR,GROUND,TRANSFORMER</b> CLAMP, GROUND,TRANSFORMER,SILICON BRONZE, #6 SOLID - 1/0 STR, 1/2-13 THREADED STUD AND FLAT SURFACES FOR WRENCH INSTALLATION.		100	EA		
	Material #	Manf Part#	Manufacturer Name				
	10005385	EM207	Electric MotionCompany, Inc				
	10005386	GC-207	FARGO				

<b>Net Value</b>	\$
<b>Plus Tax at</b>	
_____ %	\$
<b>Total Amount</b>	\$