Page 1 of 4

Tacoma

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION 6000052649

Return Bids By 11:00 AM, 04/05/2024 to: sendbid@cityoftacoma.org Merry Elizabeth Mitchell Power Warehouse

ABN 4th Floor NE 3628 South 35th Street Tacoma WA 98409

Material will ship to:

Power Warehouse 3628 S 35th St (Rear) Tacoma WA 98409

RFQ Information						
Collective Bid #	TP24-00	79N				
Bid Issue Date	03/29/20	24				
Vendor Number	109226 WEB VENDOR FOR RFQ					
Vendor Information	n (vendor t	o complete)				
Firm Name:						
Address:						
City/State/Zip		1 1				
Phone/Fax	1					
E-Mail						
Contact Name						
Payment Terms	%,	days (e.g. 2% 10,N30)				
Tacoma Bus. Lic. #						
Taxpayer ID #						
SIGNATURE OF PERSON A	UTHORIZED TO	SIGN THIS BID				
X		DATE://				
NAME :						
TITLE :						

Item #	Material# Description	Delivery Date	QTY	UM	Net Price	Total
	The City of Tacoma is soliciting bids for purchase of					
	Telecommunication Equipment (Stock)					
	Submittals may be e-mailed to sendbid@cityoftacoma.org for this solicitation.					
	Please include the Collective Bid Number, TP24-0079N, in the subject line of your e-mail.					
	Bids are subject to the submittal deadline noted in the bid solicitation					
	document. The time of e-mail receipt will be considered as the time of					
	submittal. The City accepts no responsibility for transmission errors.					
	We are unable to verify receipt of submittals due to the large volume of submittals received.					
	Extend net price and provide net total value. All bid pricing shall be					
	FOB Destination, freight prepaid and included in the unit price.					
	Materials must be new and unused. No substitutes are allowed.					
	Substitute items will be returned at vendor's expense.					

Tacoma

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION 6000052649

Item #	Material# Description	Delivery Date	QTY	UM	Net Price	Total
	Delivery date will default to two weeks ARO if vendor fails to provide.					
	Please Circle or underline the part number and manufacturer quoted or					
	bid may be considered non-responsive.					
	If applicable, you must select from the approved manufacturer(s) listed. Substitutions will not be approved at the time of the bid awarding. If you have a material that you would like to have added, it must be submitted for review and approved by the City of Tacoma's Material Committee before the bid issue date listed on this request for quotation. For more information regarding this process, please contact: Merry Mitchell, mmitchell@cityoftacoma.org					
	Responses MUST BE SUBMITTED on the provided City of Tacoma bid solicitation form. Vendor signature is MANDATORY.					
	Bid results will be posted at: http://www.cityoftacoma.org/government/ci ty_departments/finance/procurement_and_payables_division/purch asing/bid_results/					
	Note: You must register at this website as a bid holder for each solicitation of interest in order to receive notification regarding amendments or other updates to the original bid solicitation documents.					
	City Contact: Merry Mitchell, mmitchell@cityoftacoma.org					

Tacoma

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION 6000052649

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
10	21608	-		15,000	FT		
		CABLE,FO,12 CT,NON-ARMORED,LOOSE TUBE,RR		10,000			
		CABLE, FIBER OPTIC, 12 COUNT, NON-ARMORED,					
		SINGLE MODE, ALL DIELECTRIC, INDOOR/OUTDOOR,					
		UV-RESISTANT, OFNR, RISER RATED, SINGLE SHEATH					
		WITH 100% DRY WATERBLOCKING MATERIAL FOR					
		OSP. GEL FILLED LOOSE TUBE SZ STRANDED, BUFFER					
		TUBE SHALL NOT EXCEED 3.00 MM. MAXIMUM 6 FIBERS					
		PER TUBE OPTICAL LOSS SHALL NOT EXCEED 0.35					
		DB/KM AT 1310 NM AND 0.25 DB/KM AT 1550 NM.					
		NOMINAL OUTER DIAMETER NOT TO EXCEED 0.80					
		INCHES. MINIMUM BEND RADIUS: 20X CABLE OD					
		DURING INSTALLATION, 10X CABLE OD DURING					
		SERVICE. MAXIMUM REEL SIZE 72 INCH HIGH X 52 INCH					
		WIDE. MAXIMUM LENGTH NOT TO EXCEED 30,000					
		FEET. ACTUAL REEL LENGTHS TO BE DETERMINED AT					
		TIME OF RELEASE. FOR VISUAL IDENTIFICATION,					
		VERBIAGE STATING "TACOMA PUBLIC UTILITIES -					
		TELECOM" IS REQUIRED. CABLE SHALL BE DESIGNED					
		AND TESTED TO ANSI/ICEA S-104-696 FOR					
		INDOOR/OUTDOOR CABLES.					
		++++++					
		Not acceptable - Superior Essex					
		++++++					
	Material	# Manf Part# Manufacturer Name					
	1000789	0 PER CLICK SPECIFICATION DRAKA CABLETEQ USA					
	1000749	3 PER CLICK SPECIFICATION SUMITOMO					
	1000749	2 PER CLICK SPECIFICATION PRYSMIAN					
	1000749	1 PER CLICK SPECIFICATION CORNING CABLE SYSTEMS	3				
	1000749	0 PER CLICK SPECIFICATION OFS OPTICS					

Tacoma

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION 6000052649

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
20	21609	CABLE, FO, 24 CT, NON-ARMORED, LOOSE TUBE, RR CABLE, FIBER OPTIC, 24 COUNT, NON-ARMORED, SINGLE MODE, ALL DIELECTRIC, INDOOR/OUTDOOR, UV-RESISTANT, OFNR, RISER RATED, SINGLE SHEATH WITH 100% DRY WATERBLOCKING MATERIAL FOR OSP. OUTDOOR ARID CORE GEL-FREE TUBES LOOSE TUBE SZ STRANDED, BUFFER TUBE SHALL NOT EXCEED 3.00 MM. MAXIMUM 6 FIBERS PER TUBE OPTICAL LOSS SHALL NOT EXCEED 0.35 DB/KM AT 1310 NM AND 0.25 DB/KM AT 1550 NM. NOMINAL OUTER DIAMETER NOT TO EXCEED 0.80 INCHES. MINIMUM BEND RADIUS: 20X CABLE OD DURING INSTALLATION, 10X CABLE OD DURING SERVICE. MAXIMUM REEL SIZE 72 INCH HIGH X 52 INCH WIDE. MAXIMUM LENGTH NOT TO EXCEED 30,000 FEET. ACTUAL REEL LENGTHS TO BE DETERMINED AT TIME OF RELEASE. FOR VISUAL IDENTIFICATION, VERBIAGE STATING "TACOMA PUBLIC UTILITIES - TELECOM" IS REQUIRED. CABLE SHALL BE DESIGNED AND TESTED TO ANSI/ICEA S-104-696 FOR INDOOR/OUTDOOR CABLES.	Date	20,000	FT		
	Material 1000789 1000749 1000749 1000749	PER CLICK SPECIFICATION DRAKA CABLETEQ USA PER CLICK SPECIFICATION SUMITOMO PER CLICK SPECIFICATION PRYSMIAN PER CLICK SPECIFICATION CORNING CABLE SYSTEMS	18				
			L		et Valu		

Net Value	\$
Plus Tax at	\$
Total Amount	\$

Fiber Specifications

Optical Characteristics (cabled)				
Fiber Type	Single-mode			
Fiber Core Diameter	8.2 µm			
Fiber Category	OS2			
Fiber Code	E			
Performance Option Code	01			
Wavelengths	1310 nm / 1383 nm / 1550 nm			
Maximum Attenuation	0.4 dB/km / 0.4 dB/km / 0.3 dB/km			
Serial 1 Gigabit Ethernet	5000 m / - / -			
Serial 10 Gigabit Ethernet 10000 m / - / 40000 m				

^{*} ITU-T G.652 D compliant.

Notes: 1) Improved attenuation and bandwidth options available.

- 2) Bend-insensitive single-mode fibers available on request.
- 3) Contact a Coming Cable Systems Customer Care Representative for additional information.

^{*} Meets 0.75 ns optical skew when used in all Corning Cable Systems Plug & Play™/Pretium EDGE® Systems Solutions.