BID PROPOSAL

SPECIFICATION NO. PW23-0085F J Street Bicycle Boulevard

The undersigned hereby certifies that he/she has examined the location and construction details of work as outlined on the Plans and Specifications for Project No. PWK-G0057 and has read and thoroughly understands the Plans and Specifications and contract governing the work embraced in this improvement and the method by which payment will be made for said work, and hereby proposes to undertake and complete the work embraced in this improvement in accordance with said Plans, Specifications and contract and at the following schedule of rates and prices:

- NOTE: 1. Unit prices of all items, all extensions and total amount of bid should be shown. Show unit prices in figures only.
 - The notations below the item numbers refer to the specification section where information may be found regarding each contract item. These notations are intended only as a guide and are not warranted to refer to all specification sections where information may be found.

Item No.	Sect.	Item Description	Unit	Estimated Quantity	Unit Price	Total Amount
R-1	1-04	Minor Changes	Force Account	Estimate	Estimated	\$25,000.00
R-2	1-05	Roadway Surveying	Lump Sum	1	Lump Sum	\$
R-3	1-05	Record Drawings	Lump Sum	1	Minimum Bid \$5000	\$
R-4	1-07	SPCC Plan	Lump Sum	1	Lump Sum	\$
R-5	1-07	Archeological and Historical Objects Salvage	Force Account	Estimated	Estimated	\$5,000.00
R-6	1-07	Training	Hour	800	\$	\$
R-7	1-09	Mobilization	Lump Sum	1	Lump Sum	\$
R-8	1-10	Pedestrian Traffic Control	Lump Sum	1	Lump Sum	\$
R-9	1-10	Contractor Provided Uniformed Police Officer	Hour	100	\$	\$

Contractor's Name:		
Specification Number	er: PW23-0085F	

Item No.	Sect.	Item Description	Unit	Estimated Quantity	Unit Price	Total Amount
R-10	1-10	Portable Changeable Message Sign	Hour	3,530	\$	\$
R-11	1-10	Project Temporary Traffic Control	Lump Sum	1	Lump Sum	\$
R-12	2-01	Certified Arborist	Lump Sum	1	Lump Sum	\$
R-13	2-01	Certified Arborist Assessment Report Compliance	Force Account	Estimated	Estimated	\$5,000
R-14	2-01	Roadside Cleanup	Force Account	Estimated	Estimated	\$40,000.00
R-15	2-01	Clearing and Grubbing	Lump Sum	1	Lump Sum	\$
R-16	2-02	Removal of Structure and Obstruction	Lump Sum	1	Lump Sum	\$
R-17	2-02	Test Holes	Lin. Ft.	220	\$	\$
R-18	2-03	Roadway Excavation Incl. Haul	Cu. Yd.	90	\$	\$
R-19	2-03	Gravel Borrow Incl. Haul	Cu. Yd.	165	\$	\$
R-20	2-06	Subgrade Maintenance and Protection	Lump Sum	1	Lump Sum	\$
R-21	2-09	Structure Excavation Class B	Lump Sum	1	Lump Sum	\$
R-22	2-14	Remove Existing Pavement, Type I, Class A2	Sq. Yd.	45	\$	\$
R-23	2-14	Remove Existing Pavement, Type I, Class A4	Sq. Yd.	85	\$	\$
R-24	2-14	Remove Existing Pavement, Type I, Class C6	Sq. Yd.	2,250	\$	\$
R-25	2-14	Remove Existing Pavement, Type I, Class C12	Sq. Yd.	450	\$	\$

Contractor's Name: _____ Specification Number: PW23-0085F

					^	adendam 5
Item No.	Sect.	Item Description	Unit	Estimated Quantity	Unit Price	Total Amount
R-26	2-14	Remove Existing Pavement, Type I, Class CA	Sq. Yd.	4,380	\$	\$
R-27	2-14	Remove Existing Pavement, Type II, Class CA	Sq. Yd.	170	\$	\$
R-28	2-15	Remove Curb	Lin. Ft.	2,640	\$	\$
R-29	2-17	Remove Catch Basin	Each	17	\$	\$
R-30	2-17	Site Health & Safety Plan	Lump Sum	1	Lump Sum	\$
R-31	2-17	Site Health & Safety Officer	Lump Sum	1	Lump Sum	\$
R-32	2-17	Soil Management Plan	Lump Sum	1	Lump Sum	\$
R-33	2-19	Remove and Replace Existing Lid with ADA Compliant Non-slip Lid	Each	14	\$	\$
R-34	4-04	Crushed Surfacing Top Course	Ton	535	\$	\$
R-35	4-04	Crushed Surfacing Base Course	Ton	1,780	\$	\$
R-36	5-04	HMA CL ½ In. PG 58H-22	Ton	2,300	\$	\$
R-37	5-04	Planning Bituminous Pavement	Sq. Yd.	12,770	\$	\$
R-38	5-05	Cement Conc. Pavement	Sq. Yd.	450	\$	\$
R-39	7-05	Manhole 48 In. Diam. Type 3	Each	9	\$	\$
R-40	7-05	Catch Basin Type I	Each	25	\$	\$
R-41	7-05	Catch Basin Type II 48 In. Diam.	Each	6	\$	\$
R-42	7-05	Combination Inlet	Each	24	\$	\$

Contractor's Name: _____ Specification Number: PW23-0085F

Item No.	Sect.	Item Description	Unit	Estimated Quantity	Unit Price	Total Amount
R-43	7-05	Connect New Sewer Pipe 12-In. Diam. to Existing Structure	Each	6	\$	\$
R-44	7-05	Reconnect Existing Sewer Pipe 4-In. Diam. to New Structure	Each	1	\$	\$
R-45	7-05	Reconnect Existing Sewer Pipe 6-In. Diam. to New Structure	Each	1	\$	\$
R-46	7-05	Reconnect Existing Sewer Pipe 8-In. Diam. to New Structure	Each	13	\$	\$
R-47	7-05	Reconnect Existing Sewer Pipe 12-In. Diam. to New Structure	Each	11	\$	\$
R-48	7-05	Reconnect Existing Sewer Pipe 18-In. Diam. to New Structure	Each	2	\$	\$
R-49	7-05	Adjust Existing Catch Basin, Furnish New Frame and Grate	Each	25	\$	\$
R-50	7-05	Adjust Existing Manhole, Furnish New Frame and Cover	Each	38	\$	\$
R-51	7-05	Adjust Existing Utility Lid to Grade	Each	67	\$	\$
R-52	7-05	Private Utility Coordination	Lump Sum	1	Lump Sum	\$
R-53	7-08	Plugging Existing Pipe	Each	2	\$	\$
R-54	7-17	PVC Sewer Pipe 12 In. Diam.	Lin. Ft.	317	\$	\$
R-55	7-17	Ductile Iron Sewer Pipe 4 In. Diam.	Lin. Ft.	6	\$	\$
R-56	7-17	Ductile Iron Sewer Pipe 8 In. Diam.	Lin. Ft.	142	\$	\$
R-57	7-17	Ductile Iron Sewer Pipe 12 In. Diam.	Lin. Ft.	215	\$	\$

Contractor's Name: _____ Specification Number: PW23-0085F

14				F-C		7 10.00.1.00
Item No.	Sect.	Item Description	Unit	Estimated Quantity	Unit Price	Total Amount
R-58	7-17	Removal and Replacement of Unsuitable Material	Cu. Yd.	415	\$	\$
R-59	7-19	Sewer Cleanout	Each	2	\$	\$
R-60	7-20	Trench Drain	Lin. Ft.	95	\$	\$
R-61	8-01	NPDES Construction Stormwater General Permit	Lump Sum	1	Lump Sum	\$
R-62	8-01	Erosion Control and Water Pollution Prevention	Lump Sum	1	Lump Sum	\$
R-63	8-01	Stormwater Pollution Prevention Plan (SWPPP)	Lump Sum	1	Lump Sum	\$
R-64	8-02	Tree Protection	Each	23	\$	\$
R-65	8-02	Roadside Restoration	Lump Sum	1	Lump Sum	\$
R-66	8-04	Cement Conc. Traffic Curb and Gutter	Lin. Ft.	3,180	\$	\$
R-67	8-04	Cement Conc. Pedestrian Curb	Lin. Ft.	200	\$	\$
R-68	8-04	Cement Conc. Traffic Curb	Lin. Ft.	1,100	\$	\$
R-69	8-04	Type "C" Mountable Cement Concrete Curb	Lin. Ft.	95	\$	\$
R-70	8-04	Type "D" Mountable Cement Concrete Curb	Lin. Ft.	55	\$	\$
R-71	8-06	Cement Conc. Driveway Entrance Type 3	Sq. Yd.	195	\$	\$
R-72	8-09	Raised Pavement Marker Type 2	Hundred	2	\$	\$
R-73	8-13	Poured Monument	Each	13	\$	\$
R-74	8-14	Cement Conc. Sidewalk	Sq. Yd.	1,432	\$	\$
R-75	8-14	Reinforced Cement Conc. Sidewalk	Sq. Yd.	185	\$	\$
R-76	8-14	Cement Conc. Curb Ramp	Each	98	\$	\$

Contractor's Name: _____ Specification Number: PW23-0085F

Item				Estimated		Addendam 5
No.	Sect.	Item Description	Unit	Quantity	Unit Price	Total Amount
R-77	8-14	Cement Conc. Curb Bike Ramp	Each	4	\$	\$
R-78	8-14	Detectable Warning Surface	Sq. Ft.	310	\$	\$
R-79	8-17	Fixed Bollard	Each	2	\$	\$
R-80	8-20	Illumination System Modifications	Lump Sum	1	Lump Sum	\$
R-81	8-20	Traffic Signal System Modifications	Lump Sum	1	Lump Sum	\$
R-82	8-20	Traffic Signal System Overhead Adjustment	Lump Sum	1	Lump Sum	\$
R-83	8-20	Remove Direct Bury Cable	Lin. Ft.	2,160	\$	\$
R-84	8-20	Install Junction Box	Each	80	\$	\$
R-85	8-20	RRFB Assembly w/ Associated Signage, Wire, and Conduit	Each	10	\$	\$
R-86	8-20	PPB Assembly w/ Associated Wire and Conduit	Each	53	\$	\$
R-87	8-20	Conduit Pipe 2 In. Diam.	Lin. Ft.	2,060	\$	\$
R-88	8-21	Permanent Signing	Lump Sum	1	Lump Sum	\$
R-89	8-22	Plastic White Lane Line (4")	Lin. Ft.	20	\$	\$
R-90	8-22	Plastic White Edge Line (4")	Lin. Ft.	6,565	\$	\$
R-91	8-22	Plastic Double Yellow Center Line (4" x 2)	Lin. Ft.	2,705	\$	\$
R-92	8-22	Plastic Single Yellow Center Line (4" x 1)	Lin. Ft.	1,770	\$	\$
R-93	8-22	Plastic White Gore Line (8")	Lin. Ft.	64	\$	\$
R-94	8-22	Plastic Dotted Extension Line (4")	Lin. Ft.	240	\$	\$

Contractor's Name: _____ Specification Number: PW23-0085F

Item No.	Sect.	Item Description	Unit	Estimated Quantity	Unit Price	Total Amount
		·		•		
R-95	8-22	Plastic Bike Lane Skip Line (6")	Lin. Ft.	1,485	\$	\$
R-96	8-22	Plastic Bike Lane (6")	Lin. Ft.	2,520	\$	\$
R-97	8-22	Plastic Stop Line	Lin. Ft.	815	\$	\$
R-98	8-22	Plastic Crosswalk Line	Lin. Ft.	1,980	\$	\$
R-99	8-22	Plastic Traffic Arrow	Each	16	\$	\$
R-100	8-22	Plastic Traffic Letter	Each	28	\$	\$
R-101	8-22	Plastic Bicycle Lane Symbol	Each	46	\$	\$
R-102	8-22	Painted Curb	Lin. Ft.	70	\$	\$
R-103	8-22	Green Durable Product	Sq. Ft.	3,345	\$	\$
R-104	8-22	Plastic Sharrow Symbol	Each	131	\$	\$
R-105	8-22	Daylight Striping	Lin. Ft.	4,940	\$	\$
R-106	8-22	Plastic 24-Inch Wide Median Striping	Sq. Ft.	155	\$	\$
R-107	8-22	Remove Pavement Markings	Lump Sum	1	Lump Sum	\$
R-108	8-22	Painted Markings to Match Existing	Lump Sum	1	Lump Sum	\$
R-109	8-23	Temporary Pavement Markings	Lump Sum	1	Lump Sum	\$
R-110	8-33	High-Performance Traffic Separator Curb	Lin. Ft.	1,420	\$	\$
R-111	8-33	High-Performance Low- Profile Traffic-Separator Curb	Lin. Ft.	388	\$	\$
R-112	8-33	Flexible Delineators	Each	584	\$	\$
R-113	8-33	Green Bicycle Tiles	Lin. Ft.	55	\$	\$

Contractor's Name: _____ Specification Number: PW23-0085F

						Addendum		
Item No.	Sect.	Item Description	Unit	Estimated Quantity	Unit Price	Total Amount		
R-114	8-34	Accessibility Work Plan	Lump Sum	1	Lump Sum	\$		
R-115	8-35	Maintain Required Access	Lump Sum	1	Lump Sum	\$		
R-116	8-36	Protection of Private Property	Lump Sum	1	Lump Sum	\$		
		TOTAL BASE BID FOR ITEMS R-1 THRU R-116			\$			
	Proposal for Incorporating Recycled Materials into the Project In compliance with a new law that went into effect January 1, 2016 (SHB1695), the Bidder shall propose below, the total percent of construction aggregate and concrete materials to be incorporated into the Project that are recycled materials. Calculated percentages must be within the amounts allowed in Section 9-03.21(1)E, Table on Maximum Allowable Percent (By Weight) of Recycled Material, of the Standard Specifications. Proposed total percentage: percent. Note: Use of recycled materials is highly encouraged within the limits shown above, but does not constitute a Bidder Preference, and will not affect the							
	determination of award, unless two or more lowest responsive Bid totals are exactly equal, in which case proposed recycling percentages will be used as a tie-breaker, per the APWA GSP in Section 1-03.1 of the Special Provisions.							
	Regardless, the Bidder's stated proposed percentages will become a goal the Contractor should do its best to accomplish. Bidders will be required to report on recycled materials actually incorporated into the Project, in accordance with the APWA GSP in Section 1-06.6 of the Special Provisions.							
	Bidder	r:						
	Signat	ture of Authorized Official:						
	Date:							